



**Your experts for
safety, facility
and equipment
identification**

Product Catalog

Facility Marking Tape


BradyID.com/s36



Warning Message Tapes

- B-950 vinyl with permanent adhesive
- Colors sealed beneath protective layer of abrasion resistant clear vinyl

Catalog #	Legend	Size
58255	Caution w/ Stripes	3 in. x 60 ft.
58257	Stripes Only	3 in. x 60 ft.



Anti-Slip Striped Tape

- Rugged B-916 adhesive-backed polyester tape coated with durable aluminum oxide grit is ideal for indoor and outdoor use

Catalog #	Size	Qty
78146	1 in. x 60 ft.	1 roll
78147	2 in. x 60 ft.	1 roll
78148	3 in. x 60 ft.	1 roll
78149	4 in. x 60 ft.	1 roll
78150	6 in. x 60 ft.	1 roll



Anti-Slip Floor Tape

- B-916 adhesive-backed polyester tape coated with aluminum oxide grit
- Bonds permanently to clean, dry floors both indoors and outdoors

Color	1 in. x 60 ft.	2 in. x 60 ft.	4 in. x 60 ft.	6 in. x 60 ft.	12 in. x 60 ft.
Blk	78189	78190	78191	78193	78194
Rd	78197	78198	78199	-	-
Ylw	-	78091	78092	-	-
Wht	-	78187	-	-	-
Clear	-	78188	-	-	-



Heavy Duty Anti-Slip Tapes

- Aggressive adhesive withstands harsh elements such as oil, fuel and grease
- High slip resistance with deeply textured silicon carbide grit
- Ideal on loading docks and ramps

Catalog #	Size	Qty
110020	2 in. x 60 ft.	1 roll
110019	4 in. x 60 ft.	1 roll
110018	6 in. x 60 ft.	1 roll
110017	12 in. x 60 ft.	1 roll



Anti-Slip Hazard Marking

- Made of B-819 matte anti-slip overlamine

Catalog #	Legend	Size
92414	Caution	3 in. x 54 ft.
92415	Caution / Do Not Enter	3 in. x 54 ft.
92416	Caution / Watch Your Step	3 in. x 54 ft.
92417	Stripes Only	3 in. x 54 ft.



Anti-Slip Hazard Cleats

- Durable grit-coated polyester die-cuts
- Ideal for use on steps and in entryways

Catalog #	Legend	Size	Qty.
78160	Caution	6 in. x 24 in.	24
78163	Watch Your Step	6 in. x 24 in.	24



Safety Track® Resilient Tape

- Kinder, gentler product without sacrificing performance
- Easily cleaned through mopping

Catalog #	Size	Color	Qty.
98455	4 in. x 60 ft.	Black	1 roll
98459	4 in. x 60 ft.	Gray	1 roll
98457	6 in. x 24 in.	Black	50 cleats



Anti-Slip Die-Cut Cleats

- Durable grit-coated polyester die-cuts

Catalog #	Legend	Size	Qty.
78161	Reflective Stripe	6 in. x 24 in.	24
78162	Photo-lum Stripe	6 in. x 24 in.	24
78195	Black	6 in. x 24 in.	50
78196	Black	5.5 in. x 5.5 in.	50

Egress Marking

The 2015 versions of the International Building Code (IBC), International Fire Code (IFC) and the National Fire Protection Agency's (NFPA) 101 Life Safety Code contain new provisions for the means of egress in most new and pre-existing buildings with five or more stories.

Luminous (glow-in-the-dark) egress path markings are now required for the full width of every stair and handrail, among other markings. Brady offers a complete line of egress marking products that meet the current requirements for the 2015 means of egress regulations.



BradyGlo™ Floor Tapes

- B-324 phosphorescent surface printed polyester
- Designed to safely mark egress pathways during power outages and emergencies
- 10+ hours of glow life

Catalog #	Size	Color
76430	Striped Tape	2 in. x 15 ft.
76431	Striped Tape	3 in. x 15 ft.
76432	Solid Tape	2 in. x 15 ft.
76433	Solid Tape	3 in. x 15 ft.



High Intensity Marking Tape

- Self-sticking polyester in NYC approved styles
- Ideal for marking steps and landings, door frames and handrails
- 10+ hours of glow life

Catalog #	Size	Color
81873	NYC Approved Marking Tape	1 in. x 50 ft.
81729	NYC Approved Anti-Slip Tape	1 in. x 50 ft.



High Intensity Obstacle Tape

- Self-sticking polyester in NYC approved styles
- Clearly marks obstacles that protrude into the egress path
- 10+ hours of glow life

Catalog #	Style	Size
81869	NYC Approved Obstacle Tape	1 in. x 50 ft.



BradyGlo™ Arrow Tape

- Exceeds ASTM E 2072-00 standard
- Designed to safely mark egress pathways during power outages and emergencies
- 10+ hours of glow life

Catalog #	Style	Size
90971	V-Arrow Tape	2 in. x 15 ft.
90972	V-Arrow Tape	3 in. x 15 ft.
90973	Arrow Tape	2 in. x 15 ft.
90974	Arrow Tape	3 in. x 15 ft.
76430	Striped Arrow	2 in. x 15 ft.

Regulations

OSHA 29 CFR 1910.1030 Bloodborne Pathogens:

Labels required for containers and shipments. Employers to post biohazard signs at the entrance to work areas.

DOT 49 CFR 172.400(b):

Labeling is required for infectious substances which meets one or more hazard classifications.

UN2814 Infectious Substances:

Ebola virus defined as Category A infectious substance.

Biohazard Identification

An essential step towards safety is the clear and instantly-readable identification of all biohazard areas and waste products.



Biohazard Labels

- Labels effectively identify and warn of biohazard materials

Catalog #	Size	Qty
LH625E	4 in. x 2.875 in.	25/pk.



Biohazard Waste Disposal Bags

- 3-mil polyethylene bags to package and dispose of biohazardous waste

Catalog #	Size	Qty
145586	16 x 14 x 36 in.	100/pk
145587	30 x 14 x 39 in.	100/pk



Biohazard Tape

- Self-sticking vinyl tape is ideal for clearly identifying biohazard areas

Catalog #	Size	Qty
88051	2 in. x 108 ft.	1 roll



Clearly identify hazardous areas with Brady Biohazard Signs available on page 445.