

Name: VP 520 P
SDS Date: 11/10/2016

ValCOOL, LLC
5230 Brittmoore Rd.
Houston, TX 77041

SECTION 1: PRODUCT AND COMPANY INFORMATION

Product Name: VP 520 P

Supplier: ValCOOL, LLC
5230 Brittmoore Rd.
Houston, TX 77041

Telephone: (800) 244-9004
Fax: (888) 695-6449
Email: support@ValCOOL.com

In case of Emergency: CHEMTREC
1-800-424-9300

Product Description Petroleum base oil used in medium duty machining and grinding

SECTION 2: HAZARD IDENTIFICATION

GHS Classification



GHS07
Skin Sens. 1B - H317 - May cause an allergic skin reaction.

GHS Label

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictogram



GHS07

Signal word Warning

Hazard Statement May cause an allergic skin reaction.

Precautionary statements

Prevention Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves

Response Wash contaminated clothing before reuse.
If skin irritation or rash occurs: Get medical advice/attention.


Disposal Dispose of contents/container in accordance with
local/regional/national/international regulations.

Name: VP 520 P
SDS Date: 11/10/2016

ValCOOL, LLC
5230 Brittmoore Rd.
Houston, TX 77041

Classification System

NFPA ratings
(scale 0 - 4)



Health = 1
Fire = 1
Reactivity = 0

HMIS-ratings (scale 0 - 4)	Health	1	Health = 1
	Fire	1	Fire = 1
	Reactivity	0	Reactivity = 0

Other hazards Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Characterization: Mixture

Description: Mixture of the substances listed below with nonhazardous additions.

Components/Ingredients	CAS No.	%
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	50-100%

SECTION 4: FIRST AID MEASURES

Eye Contact Rinse opened eye for several minutes under running water.

Skin Contact Immediately rinse with water.

Ingestion Do not induce vomiting. Seek medical attention immediately.

Inhalation If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
Get medical attention immediately.

Information for doctor:

Most important symptoms/effects, acute and delayed

No further relevant information available.

Description of necessary first aid measures / specific treatments

No further relevant information available.

Name: VP 520 P**SDS Date:** 11/10/2016**SECTION 5: FIREFIGHTING MEASURES****Extinguishing Media**

Suitable extinguishing agents Carbon Dioxide, Dry Chemical, Alcohol Foam or a light water spray

Special hazards arising from the substance or mixture No further relevant information available.

Special Fire Fighting Instructions Full protective clothing and approved self-contained breathing apparatus if necessary for fire fighting personnel.

Protective equipment No special measures required.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment & emergency procedures Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Environmental precautions Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.

Methods and materials for containment and cleaning up Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

Reference to other sections See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE**Handling**

Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.

Name: VP 520 P

SDS Date: 11/10/2016

Information about protection against explosions and fires Keep respiratory protective device available.

Storage

Requirements to be met by storerooms and receptacles Keep container closed when not in use. Store in a cool, dry, well ventilated place away from incompatible materials.

Information about storage in one common storage facility Keep container tightly closed in a cool, well-ventilated place. Keep away from source of ignition.

Further information about storage conditions Keep receptacle tightly sealed

Specific end use(s) No further relevant information available.

SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

Additional information about design of technical systems - No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information The lists that were valid during the creation were used as basis

Exposure controls

Personal protective equipment

General protective and hygienic measures Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.

Eye / Face Protection



Tightly sealed goggles

Hand Protection



Protective Gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. When contact is likely wear chemical resistant gloves and boots. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a

Name: VP 520 P**SDS Date:** 11/10/2016

preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Respiratory Protection In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

Form Liquid

Color Yellow

Odor Petrol-like

Specific Gravity Not Determined

Density N.D.

Evaporation rate Not Determined

Flash Point 232 °C (450 °F) (estimated)

Auto-ignition Temperature Does not ignite.

Danger of explosion No Danger

Solubility in Water limited by viscosity

Viscosity

Dynamic at 20 °C (68 °F) 15 mPas

Kinematic Not determined.

Organic solvents 0.0 %

VOC content (Neat): 150.2 g/L (Working Solution): 15 g/L

Other information No further relevant information available

SECTION 10: STABILITY AND REACTIVITY

Reactivity	No further relevant information available
Chemical Stability	
Thermal decomposition	Stable under normal conditions.
Conditions to Avoid	
Possibility of hazardous reactions	No dangerous reactions known
Conditions to Avoid	No further relevant information available
Incompatibility with other Materials	Do not mix with oxidizers
Hazardous decomposition materials	Carbon Dioxide and Carbon Monoxide and various unidentified organic hydrocarbons.

SECTION 11: TOXICOLOGICAL INFORMATION**Acute toxicity****Primary irritant effect**

Eye Contact	Product is classified as moderately irritating to the eyes.
Skin Contact	This product is not expected to be toxic in contact with the skin.
Sensitization	Product is classified as moderately irritating to the skin.

Additional toxicological information

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant.

Carcinogenic categories**IARC**

(International Agency for Research on Cancer)

None of the ingredients is listed.

NTP

(National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca

(Occupational Safety & Health Administration)

None of the ingredients is listed.

Name: VP 520 P**SDS Date:** 11/10/2016**SECTION 12: ECOLOGICAL INFORMATION****Toxicity**

Aquatic toxicity	No further relevant information available
Persistence and degradability	No further relevant information available

Behavior in environmental systems

Bioaccumulative potential	No further relevant information available
Mobility in soil	No further relevant information available

Additional ecological information

General notes	Not readily biodegradable. Does not hydrolyse.
Results of PBT and vPvB assessment	PBT: Not applicable. vPvB: Not applicable.
Other adverse effects	No further relevant information available

SECTION 13: DISPOSAL CONSIDERATIONS**Waste treatment methods**

Recommendation	Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
----------------	--

Uncleaned packagings

Recommendation	Disposal must be made according to official regulations.
----------------	--

SECTION 14: TRANSPORT INFORMATION**DOT Classification**

UN number	Not Regulated
UN proper shipping name	Not Regulated
Transport hazard class(es)	Not Regulated
Packing group	Not Regulated

Environmental Hazards	Not applicable.
Special precautions for user	Not applicable.

Name: VP 520 P
SDS Date: 11/10/2016**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.**UN "Model Regulation"** Not Regulated**SECTION 15: REGULATORY INFORMATION****Sara****Section 355** None of the ingredients is listed.
(extremely hazardous substances)**Section 313** None of the ingredients is listed.
(Specific toxic chemical listings)**TSCA** All ingredients are listed.
(Toxic Substances Control Act)**Proposition 65****Chemicals known to cause cancer** None of the ingredients is listed.**Chemicals known to cause reproductive toxicity for females** None of the ingredients is listed.**Chemicals known to cause reproductive toxicity for males** None of the ingredients is listed.**Chemicals known to cause developmental toxicity** None of the ingredients is listed.**Carcinogenic categories****EPA** None of the ingredients is listed
(Environmental Protection Agency)**TLV** None of the ingredients is listed
(Threshold Limit Value established by ACGIH)**NIOSH-Ca** None of the ingredients is listed
(National Institute for Occupational Safety and Health)**GHS Label**

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictogram



GHS07

Name: VP 520 P
SDS Date: 11/10/2016

ValCOOL, LLC
5230 Brittmoore Rd.
Houston, TX 77041

Signal word Warning

Hazard Statement May cause an allergic skin reaction.

Precautionary statements

Prevention	Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves
Response	Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

Information about limitation of use	Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.
Chemical safety assessment	A Chemical Safety Assessment has not been carried out.

SECTION 16: OTHER INFORMATION

Revision Date: 11/10/2016 - 1

Abbreviations and acronyms:

DOT: US Department of Transportation
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1BB



ValCOOL, LLC
5230 Brittmoore Rd.
Houston, TX 77041

Name: VP 520 P

SDS Date: 11/10/2016

HMIS:

Disclaimer: The information presented herein has been compiled from sources considered to be dependable and is accurate as of the date issued. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use are beyond our control, we make no warranty regarding the accuracy of such data or its suitability for any use or for any consequence of its use. The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Safe handling and use remains the responsibility of the purchaser and the purchaser has the sole responsibility to determine the suitability of the materials for any use and the manner of user contemplated. We assume no responsibility for injury to the recipient or to third persons or for any damage to any property and the recipient assumes all such risks.