

Name: VP 805 P
SDS Date: 11/10/2017**SECTION 1: PRODUCT AND COMPANY INFORMATION**

Product Name: VP 805 P

Supplier: ValCOOL, LLC
5230 Brittmoore Rd.
Houston, TX 77041

Telephone: (800) 224-9004
Fax: (888) 695-6449
Email: support@ValCOOL.com

In case of Emergency: CHEMTREC
1-800-424-9300

Product Description Heavy-duty general purpose machining fluid

SECTION 2: HAZARD IDENTIFICATION**GHS Classification**

GHS07
Skin Sens. 1B - H317 - May cause an allergic skin reaction.

GHS Label

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictogram



GHS07

Signal word Warning

Hazard-determining components of labeling 1,2-benzisothiazol-3(2H)-one
2,2',2''-nitrilotriethanol
ethanol,2,2'-(cyclohexylimino)-bis
Neodecanoic acid

Hazard Statement May cause an allergic skin reaction.

Precautionary statements

Prevention Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves


Response Wash contaminated clothing before reuse.
If skin irritation or rash occurs: Get medical advice/attention.

Name: VP 805 P
SDS Date: 11/10/2017

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification System

NFPA ratings
(scale 0 - 4)



Health = 1
Fire = 0
Reactivity = 0

HMIS-ratings
(scale 0 - 4)

| | | |
|------------|---|----------------|
| Health | 1 | Health = 1 |
| Fire | 0 | Fire = 0 |
| Reactivity | 0 | Reactivity = 0 |

Other hazards Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Characterization: Mixture

Description: Mixture of the substances listed below with nonhazardous additions.

| Components/Ingredients | CAS No. | % |
|--|------------|-----------|
| Distillates (petroleum), hydrotreated heavy naphthenic | 64742-52-5 | 2.5-<10% |
| Borate Amine | 26038-87-9 | 2.5-<10% |
| Borate Amine | 26038-90-9 | 0.1-≤2.5% |
| Neodecanoic acid | 26896-20-8 | 0.1-≤2.5% |
| 2,2',2''-nitrilotriethanol | 102-71-6 | 0.1-≤2.5% |
| 1,1'-iminodipropan-2-ol | 110-97-4 | 0.1-≤2.5% |
| ethanol,2,2'-(cyclohexylimino)-bis | 4500-29-2 | 0.1-≤2.5% |
| 2-aminoethanol | 141-43-5 | 1-≤2.5% |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | 0.1-<1% |

SECTION 4: FIRST AID MEASURES

Eye Contact Rinse opened eye for several minutes under running water.

Skin Contact Immediately wash with water and soap and rinse thoroughly.

Ingestion Do not induce vomiting. Seek medical attention immediately.

Name: VP 805 P
SDS Date: 11/10/2017

Inhalation Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.

Information for doctor:

Most important symptoms/effects, acute and delayed

No further relevant information available.

Description of necessary first aid measures / specific treatments

No further relevant information available.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing Media

Suitable extinguishing agents Water, Water Spray, Foam, Dry powder, Carbon Dioxide (CO2).

Special hazards arising from the substance or mixture No further relevant information available

Special Fire Fighting Instructions Full protective clothing and approved self-contained breathing apparatus if necessary for fire fighting personnel.

Protective equipment No special measures required

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment & emergency procedures Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Environmental precautions Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.

Methods and materials for containment and cleaning up Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation

Reference to other sections See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

Name: VP 805 P
SDS Date: 11/10/2017

SECTION 7: HANDLING AND STORAGE

Handling

Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.

Information about protection against explosions and fires Keep respiratory protective device available.

Storage

Requirements to be met by storerooms and receptacles Keep container closed when not in use. Store in a cool, dry, well ventilated place away from incompatible materials.

Information about storage in one common storage facility Keep container tightly closed in a cool, well-ventilated place.
Keep away from source of ignition.

Further information about storage conditions Keep receptacle tightly sealed

Specific end use(s) No further relevant information available.

SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

Additional information about design of technical systems - No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace



| | |
|----------------------------|--|
| 2,2',2''-nitrilotriethanol | 102-71-6 |
| TLV | Long-term value: 5 mg/m ³ |
| 2-aminoethanol | 141-43-5 |
| PEL | Long-term value: 6 mg/m ³ , 3 ppm |
| REL | Short-term value: 15 mg/m ³ , 6 ppm |
| | Long-term value: 8 mg/m ³ , 3 ppm |
| TLV | Short-term value: 15 mg/m ³ , 6 ppm |
| | Long-term value: 7.5 mg/m ³ , 3 ppm |

Additional information The lists that were valid during the creation were used as basis

Name: VP 805 P
SDS Date: 11/10/2017

Exposure controls

Personal protective equipment

| | |
|--|--|
| General protective and hygienic measures | Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. |
| Eye / Face Protection |  Tightly sealed goggles |
| Hand Protection |  Protective Gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. When contact is likely wear chemical resistant gloves and boots. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. |
| Respiratory Protection | In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance

| | |
|-----------------------------------|--|
| Form | Liquid |
| Color | Clear to Blue |
| Odor | Typical chemical |
| Specific Gravity at 20 °C (68 °F) | 1.01 g/cm ³ (8.428 lbs/gal) |
| Density | N.D. |
| Evaporation rate | Not determined |
| Flash Point | Not applicable. |

Name: VP 805 P
SDS Date: 11/10/2017

| | |
|------------------------------------|--|
| Auto-ignition Temperature | Does not ignite. |
| Danger of explosion | No Danger |
| Boiling Point / Range | < 100 °C (< 212 °F) |
| pH- Value at 20 °C (68 °F) | 9.3 |
| Solubility in Water | Soluble |
| Viscosity | |
| Kinematic at 40 °C (104 °F) | 5 mm ² /s |
| Organic solvents | 2.0 % |
| VOC content | 2.0 % (Neat): 150.2 g/L (Working Solution): 15 g/L |
| Solids Content | 0.4 % |
| Other information | No further relevant information available. |

SECTION 10: STABILITY AND REACTIVITY

| | |
|---|--|
| Reactivity | No further relevant information available |
| Chemical Stability | |
| Thermal decomposition | Stable under normal conditions. |
| Conditions to Avoid | |
| Possibility of hazardous reactions | No dangerous reactions known |
| Conditions to Avoid | No further relevant information available |
| Incompatibility with other Materials | Do not mix with oxidizers |
| Hazardous decomposition materials | Carbon Dioxide and Carbon Monoxide and various unidentified organic hydrocarbons |

SECTION 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Primary irritant effect

| | |
|--------------|--|
| Eye Contact | Product is classified as moderately irritating to the eyes. |
| Skin Contact | This product is not expected to be toxic in contact with the skin. |

Name: VP 805 P
SDS Date: 11/10/2017

Sensitization Sensitization possible through skin contact

Additional toxicological information The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant**Carcinogenic categories**

| | | |
|---|--|---|
| IARC (International Agency for Research on Cancer) | 102-71-6 2,2',2''-nitrilotriethanol | 3 |
| NTP (National Toxicology Program) | None of the ingredients is listed. | |
| OSHA-Ca (Occupational Safety & Health Administration) | None of the ingredients is listed. | |

SECTION 12: ECOLOGICAL INFORMATION**Toxicity**

| | |
|-------------------------------|---|
| Aquatic toxicity | No further relevant information available |
| Persistence and degradability | No further relevant information available |

Behavior in environmental systems

| | |
|---------------------------|---|
| Bioaccumulative potential | No further relevant information available |
| Mobility in soil | No further relevant information available |

Additional ecological information

| | |
|------------------------------------|---|
| General notes | Not readily biodegradable. Does not hydrolyse. |
| Results of PBT and vPvB assessment | PBT: Not applicable. vPvB: Not applicable. |
| Other adverse effects | No further relevant information available |

SECTION 13: DISPOSAL CONSIDERATIONS**Waste treatment methods**

| | |
|----------------|---|
| Recommendation | Must not be disposed of together with household garbage. Do not allow product to reach sewage system. |
|----------------|---|

Name: VP 805 P
SDS Date: 11/10/2017

Uncleaned packagings

Recommendation Disposal must be made according to official regulations.
Recommended cleansing agent Water, if necessary with cleansing agents.

SECTION 14: TRANSPORT INFORMATION**DOT Classification**

UN number Not Regulated
UN proper shipping name Not Regulated
Transport hazard class(es) Not Regulated
Packing group Not Regulated
Environmental Hazards Not applicable.

Special precautions for user Not applicable.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

UN "Model Regulation" Not Regulated

SECTION 15: REGULATORY INFORMATION**Sara**

Section 355 None of the ingredients is listed.
(extremely hazardous substances)

Section 313 None of the ingredients is listed.
(Specific toxic chemical listings)

TSCA (Toxic Substances Control Act)

64742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic
26038-87-9 Borate Amine
26896-20-8 Neodecanoic acid
102-71-6 2,2',2''-nitrilotriethanol
12645-31-7 Phosphoric acid, 2-ethylhexyl ester
110-97-4 1,1'-iminodipropan-2-ol
4500-29-2 ethanol,2,2'-(cyclohexylimino)-bis
141-43-5 2-aminoethanol
2634-33-5 1,2-benzisothiazol-3(2H)-one

Name: VP 805 P
SDS Date: 11/10/2017

Proposition 65

Chemicals known to cause cancer None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males None of the ingredients is listed.

Chemicals known to cause developmental toxicity None of the ingredients is listed.

Carcinogenic categories

EPA (Environmental Protection Agency) None of the ingredients is listed

TLV (Threshold Limit Value established by ACGIH) None of the ingredients is listed

NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed

GHS Label

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictogram



GHS07

Signal word Warning

Hazard-determining components of labeling 1,2-benzisothiazol-3(2H)-one
2,2',2''-nitrilotriethanol
ethanol,2,2'-(cyclohexylimino)-bis
Neodecanoic acid

Hazard Statement May cause an allergic skin reaction.

Precautionary statements

- Prevention Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves
- Response Wash contaminated clothing before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
- Disposal Dispose of contents/container in accordance with
local/regional/national/international regulations.

Name: VP 805 P
SDS Date: 11/10/2017

National regulations

| | |
|-------------------------------------|--|
| Information about limitation of use | Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases. |
| Chemical safety assessment | A Chemical Safety Assessment has not been carried out. |

SECTION 16: OTHER INFORMATION

Revision Date: 11/10/2016 - 1

Abbreviations and acronyms:

DOT: US Department of Transportation
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B

HMIS:

Disclaimer: The information presented herein has been compiled from sources considered to be dependable and is accurate as of the date issued. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use are beyond our control, we make no warranty regarding the accuracy of such data or its suitability for any use or for any consequence of its use. The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Safe handling and use remains the responsibility of the purchaser and the purchaser has the sole responsibility to determine the suitability of the materials for any use and the manner of user contemplated. We assume no responsibility for injury to the recipient or to third persons or for any damage to any property and the recipient assumes all such risks.