



## Brite® Zinc®, Gallon

No. B-200 | Item# 1008226

Product Description	Zinc-rich top coat (primer) for ferrous and non-ferrous surfaces. One step color matches the shiny look of hot dip galvanizing. 69% zinc metal. Covers 570 square feet. Meets ASTM-A780 standard for corrosion protection.
Color	Gray
Applications	Zinc-rich top coat (or primer) for ferrous and non-ferrous surfaces.
Unit Package Description	1 Gallon Metal Pail
Brand	Weld-Aid
Generic Description 1	Corrosion Inhibitor
Net Fill	1 Gal
UPC Code	731592200119
Unit Dimensions	12.5H x 6.5W X6.5D in
Units Per Case	1
Case Dimensions	12.5H x 6.5W X6.5D in
Cases Per Pallet	80
Case Weight	22 lbs
I 2 of 5 Code	30731592200110
Appearance	Silver Liquid
Flash point (F)	45°F
Flash point (C)	7.2°C
Spec Gravity Concentrate	1.43
Plastic Safe	Not Determined
Evaporation Rate	Slow
Dry Time - Fully Dry	24 Hours
Dry Time - Tack Free	15 to 30 minutes at 70°F(21°C)
Recoat	15 to 30 Minutes
Coverage	570 square feet at 1 mil thickness (174m2)
Dielectric Strength	Not Determined

Last revised: 9/24/2020

Page 1 of 2



**Chemical Solutions to Keep You Moving™**

f t+ d+ in m • 800-272-8963 • [crcindustries.com](http://crcindustries.com)

CRC Industries, Inc. is a global leader in the production of specialty chemicals for maintenance, repair and operational professionals and do-it-yourselfers serving the automotive, industrial, electrical, marine, heavy truck, hardware and aviation markets. CRC trademarked brands include: CRC®, K&W®, Sta-Lube®, SmartWasher®, Marykate®, Weld-Aid®, Ambersil®, KF®, Kontakt Chemie®, Ados®, Action Can®, and Kitten®.

©2019 CRC Industries, Inc.



Working Temp (F)	Not Determined
Working Temp (C)	Not Determined
Propellant	None
Aerosol Flammability Level	Not Applicable
Military Specification Number	MIL-P-26915B, Mil-P-46105
DOT Proper Shipping Name	Paint Related Materials, Limited Quantity
VOC Category	Not Regulated - (Not for field application)

