



Fall Protection



Support at every level.

3M™ DBI-SALA® ExoFit™ X-Series Harnesses

X100 | X200 | X300

Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233


PA Regional Office
Stroudsburg, PA
855.207.0400



Designed for ultimate productivity and performance.

Wherever your work takes you, staying comfortably fitted in your safety harness is critical. Precision-tuned for performance and productivity, our new line of 3M™ DBI-SALA® ExoFit™ X Series Harnesses change the way you work and redefine what you should expect from a safety harness.

3M™ DBI-SALA® ExoFit™ X100 Harness



3M™ DBI-SALA® ExoFit™ X200 Harness



3M™ DBI-SALA® ExoFit™ X300 Harness



3M™ DBI-SALA® ExoFit™ X-Series Harnesses come equipped with these standard harness features:

Revolving Torso Adjusters**

- Patented buckles lock webbing into place to maintain a safe and comfortable fit.

Personal SRL Adapter**

- Confidently connect personal SRLs to the harness with ease.

Anti-Slide Dorsal D-Ring Pad

- Greatly reduces dorsal D-ring slide and allows for adjustment to help ensure a proper and safe fit.

Suspension Trauma Relief Straps*

- Integrated low-profile design between harness webbing.

Auto-Resetting Lanyard Keepers*

- Fast and easy parking of snap hooks and carabiners.

Comfort Padding

- Features breathable mesh under-side.

Integrated RFID

- RFID technology for simplified inventory, inspection and record management.

ANSI/OSHA

- Tested and certified to ANSI/ASSP Z359.11-2021 (310 lbs.) standard. Conforms to the requirements of 29 CFR OSHA 1910.140 and 1926.502. (420 lbs.) regulations.

*3M Patented Design/Feature
**Available on select models

3M™ DBI-SALA® ExoFit™ X-Series Harnesses

Feature Matrix



ExoFit™ X100
Harness



ExoFit™ X200
Harness



ExoFit™ X300
Harness

Feature	X100	X200	X300
Personal SRL Adapter ^{*,**}	Molded Tunnel	Steel	Aluminum
Exclusive Weight Distribution System Models Available ^{*,**}	✓		✓
Breathable Shoulder Pads	Removable	Mesh Design	Durable Shoulder Cap Design
Leg Padding	Accessory Kit Available	✓	✓
Exclusive Automatic Stand-Up D-ring [*]		Steel	Aluminum
Exclusive Locking Buckles Available ^{*,**}		Dual-Locking Quick-Connect	Auto-Locking Quick-Connect
Lightweight Aluminum Hardware Models Available		✓	✓
3M™ Scotchlite™ Reflective Material			Padding Panels
Exclusive X-Style Quick-Connect Chest Buckle Models Available ^{*,**}			✓

Please check our full product list to find the harnesses that best accommodate you and your team.

^{*}3M Patented Design/Feature
^{**}Available on select models

New ExoFit™ comfort harnesses available in a variety of styles:

- Vest
- Vest Climbing
- Vest Positioning
- Vest Retrieval
- Vest Climbing/Positioning
- Vest Climbing/Positioning/Retrieval
- X-Style
- Construction
- Construction Climbing
- Construction Positioning
- Construction Climbing/Positioning
- Construction Weight Distribution Positioning
- Construction Weight Distribution Climbing/Positioning
- Tower Climbing/Positioning
- Wind Energy Vest Climbing/Positioning
- Wind Energy Construction Climbing/Positioning
- Oil & Gas Vest Climbing/Positioning
- Oil & Gas Construction Climbing/Positioning
- Construction Mining

Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400






Fall Protection

X100

3M™ DBI-SALA® ExoFit™ X-Series Harnesses

Gear up with confidence, quality and performance.

The 3M™ DBI-SALA® ExoFit™ X100 Harness is designed with high-quality components that have been developed to enhance the safety and comfort of the harness while working at height on your job site. The X100 comfort harness is built with 6,000 lb. polyester webbing, nylon/polyester hybrid comfort padding and robust alloy steel hardware. The anti-slide back D-ring plate design helps reduce dorsal D-ring slide and enables a convenient adapter location to connect personal SRLs. Select configurations are also available with exclusive weight distribution systems to help reduce shoulder strain and fatigue.



*3M Patented Technology
**Comes integrated on select models



800.864.2660 | WWW.AM-IND.COM

Product Configurations and Part Numbers



General Industry

Construction

Construction
Weight Distribution

Oil and Gas

Telecommunications

Wind Energy

Iron Worker

Retrieval

X100 Harnesses							
Harness Style	Configuration (D-ring locations Leg Buckles Chest Buckle)	Small	Medium	Large	X-Large		
General Industry							
Comfort Vest	Back Tongue Buckle Pass-Thru	1401000	1401001	1401002	1401003		
Comfort Vest Climbing	Back, Front Tongue Buckle Pass-Thru	1401005	1401006	1401007	1401008		
Comfort Vest Positioning	Back, Positioning Tongue Buckle Pass-Thru	1401010	1401011	1401012	1401013		
Comfort Vest Climbing/Positioning	Back, Front, Positioning Tongue Buckle Pass-Thru	1401015	1401016	1401017	1401018		
Comfort Vest	Back Quick-Connect Quick-Connect	1401020	1401021	1401022	1401023		
Comfort Vest Climbing	Back, Front Quick-Connect Quick-Connect	1401025	1401026	1401027	1401028		
Comfort Vest Positioning	Back, Positioning Quick-Connect Quick-Connect	1401030	1401031	1401032	1401033		
Comfort Vest Climbing/Positioning	Back, Front, Positioning Quick-Connect Quick-Connect	1401035	1401036	1401037	1401038		
Comfort Vest Climbing	Back, Front Tongue Buckle Quick-Connect	1401115	1401116	1401117	1401118		
Comfort Vest	Back Tongue Buckle Quick-Connect	1401200	1401201	1401202	1401203		
Construction							
Comfort Construction	Back Tongue Buckle Pass-Thru	1401060	1401061	1401062	1401063		
Comfort Construction Positioning	Back, Positioning Tongue Buckle Pass-Thru	1401070	1401071	1401072	1401073		
Comfort Construction Climbing/Positioning	Back, Front, Positioning Tongue Buckle Pass-Thru	1401075	1401076	1401077	1401078		
Comfort Construction Positioning	Back, Hip Tongue Buckle Quick-Connect	1401110	1401111	1401112	1401113		
Comfort Construction	Back Tongue Buckle Quick-Connect	1401105	1401106	1401107	1401108		
Comfort Construction Climbing/Positioning	Back, Front, Positioning Tongue Buckle Quick-Connect	1401135	1401136	1401137	1401138		
Comfort Construction	Back Quick-Connect Quick-Connect	1401080	1401081	1401082	1401083		
Comfort Construction Positioning	Back, Positioning Quick-Connect Quick-Connect	1401090	1401091	1401092	1401093		
Comfort Construction Climbing/Positioning	Back, Front, Positioning Quick-Connect Quick-Connect	1401095	1401096	1401097	1401098		
Construction Weight Distribution							
Comfort Construction Positioning	Back, Hip Tongue Buckle Pass-Thru	1401040	1401041	1401042	1401043		
Comfort Construction Climbing/Positioning	Back, Front, Hip Tongue Buckle Pass-Thru	1401045	1401046	1401047	1401048		
Comfort Construction Positioning	Back, Hip Tongue Buckle Quick-Connect	1401120	1401121	1401122	1401123		
Comfort Construction Positioning	Back, Hip Tongue Buckle Quick-Connect	1401125	1401126	1401127	1401128		
Comfort Construction Positioning	Back, Hip Quick-Connect Quick-Connect	1401050	1401051	1401052	1401053		
Comfort Construction Climbing/Positioning	Back, Front, Hip Quick-Connect Quick-Connect	1401055	1401056	1401057	1401058		
Oil and Gas							
Comfort Construction Oil and Gas Climbing/Positioning	Back, Front, Hip Tongue Buckle Pass-Thru	1401145	1401146	1401147	1401148		
Comfort Oil and Gas Climbing/Positioning/Suspension	Back, Front, Hip Tongue Buckle Pass-Thru	1401150	1401151	1401152	1401153		
Comfort Oil and Gas Climbing/Suspension	Back, Front Tongue Buckle Quick-Connect	1401195	1401196	1401197	1401198		
Comfort Oil and Gas Climbing/Suspension with Energy Absorber Extension	Back, Rear Waist Quick-Connect Quick-Connect	1401205	1401206	1401207	1401208		
Telecommunications							
Comfort Tower Climbing	Back, Front, Hip Tongue Buckle Quick-Connect	1401140	1401141	1401142	1401143		
Retrieval							
Comfort Retrieval	Back, Shoulder Tongue Buckle, Pass-Thru	1401156	1401157	1401158	1401159		
Comfort Retrieval	Back, Front, Hip, Shoulder Tongue Buckle Pass-Thru	1401161	1401162	1401163	1401164		
Wind Energy							
Comfort Wind Energy Climbing/Positioning	Back, Front, Hips Quick-Connect Quick-Connect	1401228	1401229	1401230	1401231		
Iron Worker							
Comfort Iron Work Construction Positioning	Back, Hip Tongue Buckle Quick-Connect	1401174	1401175	1401176	1401177		
Stainless Steel Hardware							
Comfort with Stainless Steel Hardware	Back Quick-Connect Quick-Connect	1401185	1401186	1401187	1401188		
Comfort Climbing/Positioning with Stainless Steel Hardware	Back, Front, Hips Tongue Buckle Quick-Connect	1401215	1401216	1401217	1401218		



3M offers additional sizes on select models.
Please call us for more information.

Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400






Fall Protection

X200

3M™ DBI-SALA® ExoFit™ X-Series Harnesses

Gear up with confidence, quality, and performance.

The 3M™ DBI-SALA® ExoFit™ X200 is designed with high-quality components that have been developed to enhance the harnesses safety, fit, and functionality while working at height on your job site. The X200 comfort harness is built with 6,000 lb polyester webbing, nylon/polyester hybrid comfort padding and robust alloy steel hardware. Dorsal D-ring connections are faster and easier with the stand-up back D-ring. The anti-slide back D-ring plate design helps reduce dorsal D-ring slide and enables a convenient adapter location for connecting personal SRLs. There are also locking torso-adjustment and quick-connect buckle options available to help your team maintain a safe and comfortable harness fit.



Product Configurations and Part Numbers



General Industry



Construction



Wind Energy



Oil & Gas



Telecommunications

X200 Harnesses					
Harness Style	Configuration (D-ring(s), Leg Buckles, Chest Buckle)	Small	Medium	Large	X-Large
General Industry					
Comfort Vest ¹	Back, Tongue Buckle, Dual Locking Quick-Connect	1402000	1402001	1402002	1402003
Comfort Vest Climbing ¹	Back Front, Tongue Buckle, Dual Locking Quick-Connect	1402005	1402006	1402007	1402008
Comfort Vest Positioning ¹	Back Hip, Tongue Buckle, Dual Locking Quick-Connect	1402010	1402011	1402012	1402013
Comfort Vest Climbing/Positioning ¹	Back Front Hip, Tongue Buckle, Dual Locking Quick-Connect	1402015	1402016	1402017	1402018
Comfort Vest ¹	Back, Dual Lock Quick-Connect, Dual Locking Quick-Connect	1402020	1402021	1402022	1402023
Comfort Vest Climbing ¹	Back Front, Dual Lock Quick-Connect, Dual Locking Quick-Connect	1402035	1402036	1402037	1402038
Comfort Vest Positioning ¹	Back Hip, Dual Lock Quick-Connect, Dual Locking Quick-Connect	1402040	1402041	1402042	1402043
Comfort Vest Climbing/Positioning ¹	Back Front Hip, Dual Lock Quick-Connect, Dual Locking Quick-Connect	1402050	1402051	1402052	1402053
Construction					
Comfort Construction ^{1,3}	Back, Tongue Buckle, Dual Locking Quick-Connect	1402066	1402067	1402068	1402069
Comfort Construction Positioning ^{1,3}	Back Hip, Tongue Buckle, Dual Locking Quick-Connect	1402082	1402083	1402084	1402085
Comfort Construction Climbing/Positioning ^{1,3}	Back Front Hip, Tongue Buckle, Quick-Connect	1402088	1402089	1402090	1402091
Comfort Construction ^{1,3}	Back, Dual Lock Quick-Connect, Dual Locking Quick-Connect	1402094	1402095	1402096	1402097
Comfort Construction Positioning ^{1,3}	Back Hip, Dual Lock Quick-Connect, Dual Locking Quick-Connect	1402105	1402106	1402107	1402108
Comfort Construction Climbing/Positioning ¹	Back Front Hip, Dual Lock Quick-Connect, Quick-Connect	1402110	1402111	1402112	1402113
Wind Energy					
Comfort Wind Energy Climbing/Positioning ¹	Back Front Hip, Dual Locking Quick-Connect, Dual Locking Quick-Connect	1402125	1402126	1402127	1402128
Comfort Wind Energy Climbing/Positioning ¹	Back Front Hip, Dual Locking Quick-Connect, Dual Locking Quick-Connect	1402130	1402131	1402132	1402133
Oil & Gas					
Comfort Oil & Gas Climbing ¹	Back Hip, Tongue Buckle, Quick-Connect	1402115	1402116	1402117	1402118
Comfort Oil & Gas Climbing ¹	Back Hip, Tongue Buckle, Quick-Connect	1402120	1402121	1402122	1402123
Telecommunications					
Comfort Telecom Climbing/Positioning ¹	Back Front Hip, Dual Lock Quick-Connect, Quick-Connect	1402135	1402136	1402137	1402138
Comfort Telecom Climbing/Positioning ¹	Back Front Hip, Tongue Buckle, Quick-Connect	1402140	1402141	1402142	1402143
Cross-Over					
Comfort Cross-Over Climbing ¹	Back Front, Dual Locking Quick-Connect, Dual Locking Quick-Connect	1402155	1402156	1402157	1402158
Comfort Cross-Over Climbing/Positioning ¹	Back Front Hip, Dual Locking Quick-Connect, Dual Locking Quick-Connect	1402160	1402161	1402162	1402163
Retrieval					
Comfort Vest Retrieval ¹	Back Shoulder, Dual Locking Quick-Connect, Dual Locking Quick-Connect	1402145	1402146	1402147	1402148
Comfort Climbing/Positioning/Retrieval ¹	Back Front Hip Shoulder, Dual Locking Quick-Connect, Dual Locking Quick-Connect	1402150	1402151	1402152	1402153
Mining					
Comfort Mining ¹	Back, Dual Locking Quick-Connect, Dual Locking Quick-Connect	1402165	1402166	1402167	1402168

¹ Available in 2X-Large

² Available in 3X-Large

³ Available in X-Small



Please call us for help selecting your harness size or for assistance with placing your harness order.

Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400



3M™ DBI-SALA® ExoFit™ X300 Harness

For those who refuse to compromise.

One of the most advanced harnesses just got better. With industry-leading comfort and fit, it's optimized to help increase the performance and productivity of professionals who take pride in a job done right.

Personal SRL adapter** allows for connection of personal SRLs with confidence and ease

Automatic stand-up back D-ring* conveniently connect faster and easier

Anti-slide dorsal D-ring pad

Weight Distribution System* takes weight off your shoulders**

3M™ Scotchlite™ reflective panels to enhance visibility in low-light environments

Auto-resetting lanyard keepers*

Integrated low-profile suspension trauma relief straps*

Integrated RFID tag, enabling inventory, inspection and record management

Auto-locking quick-connect buckles** to help maintain fit—greatly reducing buckle slide

Comfort back pad with built-in durable shoulder caps

Radio/cell phone holster**

Revolving torso adjusters*** are fast and easy to adjust and lock webbing into place—maintaining a comfortable and safe harness fit

Lightweight aluminum tongue-buckle and durable belt**

Lightweight aluminum D-rings

Comfort hip pad** with robust belt loops and rigid belt for tool pouch-carrying convenience

*3M Patented Design/Feature
**Available on select models

Product Configurations and Part Numbers



General Industry



Construction



Construction Weight Distribution



Wind Energy



Telecommunications



Oil and Gas



Retrieval



Crossover

X300 Harnesses					
Harness Style	Configuration (D-ring(s), Leg Buckles, Chest Buckle)	Small	Medium	Large	X-Large
General Industry					
Comfort Vest	Back, Tongue Buckle, Auto-Locking Quick-Connect	1113016	1113019	1113022	1113025
Comfort Vest Climbing	Back Front, Tongue Buckle, Auto-Locking Quick-Connect	1140133	1140134	1140135	1140136
Comfort Vest Positioning	Back Hip, Tongue Buckle, Auto-Locking Quick-Connect	1140139	1140140	1140141	1140142
Comfort Vest Climbing/Positioning	Back Front Hip, Tongue Buckle, Auto-Locking Quick-Connect	1113420	1113421	1113422	1113423
Comfort Vest	Back, Auto-Locking Quick-Connect, Auto-Locking Quick-Connect	1113001	1113004	1113007	1113010
Comfort Vest Climbing	Back Front, Auto-Locking Quick-Connect, Auto-Locking Quick-Connect	1113031	1113034	1113037	1113040
Comfort Vest Positioning	Back Hip, Auto-Locking Quick-Connect, Auto-Locking Quick-Connect	1113046	1113049	1113052	1113055
Comfort Vest Climbing/Positioning	Back Front Hip, Auto-Locking Quick-Connect, Auto-Locking Quick-Connect	1113076	1113079	1113082	1113085
Construction					
Comfort Construction	Back, Tongue Buckle, Auto-Locking Quick-Connect	1403048	1403049	1403050	1403051
Comfort Construction Positioning	Back Hip, Tongue Buckle, Auto-Locking Quick-Connect	1140181	1140182	1140183	1140184
Comfort Construction	Back Hip, Tongue Buckle, Auto-Locking Quick-Connect	1403059	1403060	1403061	1403062
Comfort Construction Climbing/Positioning	Back Front Hip, Tongue Buckle, Auto-Locking Quick-Connect	1140187	1140188	1140189	1140190
Comfort Construction	Back, Auto-Locking Quick-Connect, Auto-Locking Quick-Connect	1403070	1403071	1403072	1403073
Comfort Construction Positioning	Back Hip, Auto-Locking Quick-Connect, Auto-Locking Quick-Connect	1113121	1113124	1113127	1113130
Comfort Construction Climbing/Positioning	Back Front Hip, Auto-Locking Quick-Connect, Auto-Locking Quick-Connect	1113151	1113154	1113157	1113160
Construction Weight Distribution					
Comfort Construction Positioning	Back Hip, Auto-Locking Quick-Connect, Auto-Locking Quick-Connect	1403098	1403099	1403100	1403101
Comfort Construction Climbing/Positioning	Back Front Hip, Auto-Locking Quick-Connect, Auto-Locking Quick-Connect	1403103	1403104	1403105	1403106
Comfort Construction Positioning	Back Hip, Tongue Buckle, Auto-Locking Quick-Connect	1403088	1403089	1403090	1403091
Comfort Construction Climbing/Positioning	Back Front Hip, Tongue Buckle, Auto-Locking Quick-Connect	1403093	1403094	1403095	1403096
Wind Energy					
Comfort Wind Energy Climbing/Positioning	Back Front Hip, Auto-Locking Quick-Connect, Auto-Locking Quick-Connect	1113215	1113216	1113217	1113218
Comfort Wind Energy Climbing/Positioning	Back Front Hip, Auto-Locking Quick-Connect, Auto-Locking Quick-Connect	1113210	1113211	1113212	1113213
Comfort Wind Energy Climbing/Positioning	Back Front Hip, Tongue Buckle, Quick-Connect	1113175	1113176	1113177	1113178
Comfort Wind Energy Climbing/Positioning	Back Front Hip, Auto-Locking Quick-Connect, Auto-Locking Quick-Connect	1113449	1113450	1113451	1113452
Oil & Gas					
Comfort Oil & Gas Climbing	Back Front, Tongue Buckle, Auto-Locking Quick-Connect	1113290	1113291	1113292	1113293
Comfort Oil & Gas Climbing	Back Front, Tongue Buckle, Pass-through	1113305	1113306	1113307	1113308
Telecommunications					
Comfort Telecom Climbing/Positioning	Back Front Hip, Auto-Locking Quick-Connect, Auto-Locking Quick-Connect	1113190	1113191	1113192	1113193
Comfort Telecom Climbing/Positioning	Back Front Hip, Auto-Locking Quick-Connect, Auto-Locking Quick-Connect	1113375	1113376	1113377	1113378
Retrieval					
Comfort Retrieval	Back Shoulder, Auto-Locking Quick-Connect, Auto-Locking Quick-Connect	1113061	1113064	1113067	1113070
Comfort Climbing/Positioning/Retrieval	Back Front Hip Shoulder, Auto-Locking Quick-Connect, Auto-Locking Quick-Connect	1113705	1113706	1113707	1113708
Mining					
Comfort Mining ¹	Back Auto-Locking Quick-Connect, Auto-Locking Quick-Connect	1113195	1113196	1113197	1113199

X300 X-Style					
Harness Style	Configuration (D-ring locations Leg Buckles Chest Buckle)	3X-Small / 2X-Small	X-Small / Small	Medium / Large	X-Large / 2X-Large
Vest General Industry	Back Auto-Locking Quick-Connect X-Style Quick-Connect	1403237	1403198	1403199	1403200
Vest Climbing	Back, Front Auto-Locking Quick-Connect X-Style Quick-Connect	1403238	1403201	1403202	1403203
Vest Climbing/Positioning	Back, Front, Hips Auto-Locking Quick-Connect X-Style Quick-Connect	1403239	1403204	1403205	1403206
Construction	Back, Hips Auto-Locking Quick-Connect X-Style Quick-Connect	1403240	1403207	1403208	1403209
Telecommunications	Back, Front, Hips, Seat Sling Auto-Locking Quick-Connect X-Style Quick-Connect	1403241	1403210	1403211	1403212
Wind Energy	Back, Front, Hips Auto-Locking Quick-Connect X-Style Quick-Connect	1403242	1403213	1403214	1403215

Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400



Find the fit for your industry and application.

In our dedicated pursuit to help workers stay safe at heights, we have developed performance optimizations for a variety of industries and working applications.



General Industry

Equipped with lightweight aluminum dorsal D-ring (automatic stand-up D-ring design enables easier connections).



Construction

Equipped with robust belt loops, lightweight aluminum positioning D-rings and supportive tongue-buckle belt on comfort hip pad.



Construction Weight Distribution

Equipped with robust construction hip pad and lightweight back bar to redistribute weight and fatigue from shoulder area.



Wind Energy

Equipped with front D-ring for climbing, side D-rings and seat sling for comfortable positioning at height.



Telecommunications

Equipped with front D-ring for climbing, side D-rings and seat sling for comfortable positioning at height.

Featured X300 Harness	
Small	1113001
Medium	1113004
Large	1113007
X-Large	1113010
2X-Large	1113013

Featured X300 Harness	
Small	1113121
Medium	1113124
Large	1113127
X-Large	1113130
2X-Large	1113133

Featured X300 Harness	
Small	1403098
Medium	1403099
Large	1403100
X-Large	1403101
2X-Large	1403102

Featured X300 Harness	
Small	1113210
Medium	1113211
Large	1113212
X-Large	1113213
2X-Large	1113214

Featured X300 Harness	
Small	1113190
Medium	1113191
Large	1113192
X-Large	1113193
2X-Large	1113194

Find the fit for your industry and application with our NEW 3M™ DBI-SALA® ExoFit™ X-Style Harnesses.

Backed by science to fit your body. Our new quick-connect chest buckle, simplified harness sizing ranges, and leg straps have been designed with you in mind. No matter the season, wardrobe or body shape, the 3M™ DBI-SALA® ExoFit™ X300 Comfort X Style Safety Harness will help ensure you select a harness that fits your body securely.



**X-Style
General
Industry**



**X-Style
Construction**



**X-Style
General Industry
Climbing**



**X-Style
Climbing/
Positoning
(Wind Energy)**



**X-Style
Tower Climbing
(Telecommunications)**

Equipped with contoured form-fitting chest configuration to don easily in 'X' shape. X-Style harness buckle contours to your body, providing an optimal central connection. New horizontal leg straps complement the range of motion workers require on the jobsite.

Featured X300 Harness	
3X-Small/ 2X-Small	1403237
X-Small/ Small	1403198
Medium/ Large	1403199
X-Large/ 2X-Large	1403200

Featured X300 Harness	
3X-Small/ 2X-Small	1403240
X-Small/ Small	1403207
Medium/ Large	1403208
X-Large/ 2X-Large	1403209

Featured X300 Harness	
3X-Small/ 2X-Small	1403238
X-Small/ Small	1403201
Medium/ Large	1403202
X-Large/ 2X-Large	1403203

Featured X300 Harness	
3X-Small/ 2X-Small	1403242
X-Small/ Small	1403213
Medium/ Large	1403214
X-Large/ 2X-Large	1403215

Featured X300 Harness	
3X-Small/ 2X-Small	1403241
X-Small/ Small	1403210
Medium/ Large	1403211
X-Large/ 2X-Large	1403212

 Please call us for help selecting your harness size or for assistance with placing your harness order.

Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711


Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400



3M™ DBI-SALA® Full Body Harness Sizing Guidance



3M Full Body Harnesses are designed, tested and certified with a user capacity range of 130 lbs. to 310 lbs. as defined by ANSI/ASSP Z359.11 and up to 420 lbs. conforming with OSHA 29 CFR 1910.140 and 1926.502 regulations. For users below the weight capacity range of 130 lbs., the application shall be evaluated by the employer's Competent Person to determine alternate or applicable protection methods.

3M | Authorized Distributor
Industrial and Safety Solutions

Request A 3M™ Assessment

A&M Industrial can observe your current applications and PPE usage, and provide your company with expert level guidance that increases your efficiency, productivity, and safety.

Our team can help you:

- Identify the right 3M™ solution for your application.
- Provide data and vendor recommendations that contribute towards informed decision-making and continuous improvement initiatives.
- Demonstrate clear and measurable cost reductions.
- Eliminate inefficiencies & safety issues.



SCAN TO LEARN MORE &
REQUEST YOUR FREE
3M™ ASSESSMENT