

Lift-All® Is A Proud Member Of:



## MATERIAL HANDLING SOLUTIONS

### Lift-All® ENDLESS TUFLEX® ROUNDSLING

See Page 5

AS LOW AS:  
**\$12<sup>16</sup>**



### Lift-All® TUFF-EDGE® III POLYESTER WEB SLINGS

See Page 3 • Endless Or Eye/Eye

AS LOW AS:  
**\$10<sup>07</sup>**



### Lift-All® STEEL WIRE ROPE SLINGS

See Page 7 • Wide Variety Of Eye Options

AS LOW AS:  
**\$18<sup>19</sup>**



800.864.2660 | WWW.AM-IND.COM



### A SAFER SHOP & FACILITY

A&M Industrial's experienced safety team can perform sling and chain inspection, schedule a Lift-All® Safety Seminar, and more. To request or to learn more about our available services, simply scan the adjacent QR code.





## 5 STAR WORKPLACE SAFETY PROGRAM



**Regular Safety Audits/ Inspections**



**Comprehensive Product Training**

- Lifting Slings
- Rigging Hardware
- Sling Protection



**Employee/New Hire On-Site Safety in Lifting Training**

OSHA & ASME Standards



**Continuous Improvement Initiatives**

On-site plant audits of existing or new lifting applications.



**Risk Assessment**

Proactive guidance to identify and address opportunities to eliminate costly repairs.




(800) 909-1964 • [www.lift-all.com](http://www.lift-all.com)

**LiftAll** TUFF-EDGE® III POLYESTER WEB SLINGS


2 Ply

WIDTH	LENGTH	SLING TYPE	RATED CAPACITY (LBS.)			MFR #	A&M #	SALE PRICE
			VERTICAL (90°)	CHOKER	BASKET (90°)			
1"	2'	Eye/Eye	3,200	2,500	6,400	EE2801TFX2	5709292	\$10.07
1"	2'	Endless	3,200	2,500	6,400	EN2801TX2	4663791	\$16.51
1"	3'	Eye/Eye	3,200	2,500	6,400	EE2801TFX3	4597250	\$11.63
1"	3'	Endless	3,200	2,500	6,400	EN2801TX3	4597249	\$19.58
1"	4'	Eye/Eye	3,200	2,500	6,400	EE2801TFX4	4586407	\$13.19
1"	4'	Endless	3,200	2,500	6,400	EN2801TX4	4609918	\$19.05
1"	6'	Eye/Eye	3,200	2,500	6,400	EE2801TFX6	4586409	\$16.30
1"	6'	Endless	3,200	2,500	6,400	EN2801TX6	4627254	\$28.78
1"	8'	Eye/Eye	6,400	5,000	12,800	EE2801TFX8	4593498	\$19.42
1"	8'	Endless	6,400	5,000	12,800	EN2801TX8	4740050	\$34.91
1"	10'	Eye/Eye	6,400	5,000	12,800	EE2801TFX10	4690317	\$22.54
1"	10'	Endless	6,400	5,000	12,800	EN2801TX10	4767140	\$41.04
1"	12'	Eye/Eye	6,400	5,000	12,800	EE2801TFX12	2885256	\$25.66
1"	12'	Endless	6,400	5,000	12,800	EN2801TX12	5001543	\$47.16
1"	16'	Eye/Eye	6,400	5,000	12,800	EE2801TFX16	4639086	\$31.89
1"	16'	Endless	6,400	5,000	12,800	EN2801TX16	5001547	\$59.43
2"	2'	Eye/Eye	8,800	7,040	17,600	EE2802TFX2	6162271	\$13.96
2"	2'	Endless	8,800	7,040	17,600	EN2802TX2	5001592	\$24.25
2"	3'	Eye/Eye	8,800	7,040	17,600	EE2802TFX3	4592142	\$16.78
2"	3'	Endless	8,800	7,040	17,600	EN2802TX3	5001594	\$29.78
2"	4'	Eye/Eye	8,800	7,040	17,600	EE2802TFX4	4548239	\$19.61
2"	4'	Endless	8,800	7,040	17,600	EN2802TX4	4768633	\$35.32
2"	6'	Eye/Eye	8,800	7,040	17,600	EE2802TFX6	4609911	\$25.25
2"	6'	Endless	8,800	7,040	17,600	EN2802TX6	4663822	\$46.38
2"	8'	Eye/Eye	11,500	9,200	23,000	EE2802TFX8	4617261	\$30.88
2"	8'	Endless	11,500	9,200	23,000	EN2802TX8	4767142	\$57.45
2"	10'	Eye/Eye	11,500	9,200	23,000	EE2802TFX10	4592449	\$36.52
2"	10'	Endless	11,500	9,200	23,000	EN2802TX10	5001582	\$68.50
2"	12'	Eye/Eye	11,500	9,200	23,000	EE2802TFX12	4628612	\$42.16
2"	12'	Endless	11,500	9,200	23,000	EN2802TX12	5001584	\$79.57
2"	16'	Eye/Eye	11,500	9,200	23,000	EE2802TFX16	5709734	\$53.43
2"	16'	Endless	11,500	9,200	23,000	EN2802TX16	5001588	\$101.70
3"	4'	Eye/Eye	6,200	4,900	12,400	EE2803TFX4	4627255	\$30.79
3"	4'	Endless	6,200	4,900	12,400	EN2803TX4	5001644	\$54.06
3"	6'	Eye/Eye	6,200	4,900	12,400	EE2803TFX6	4627256	\$39.90
3"	6'	Endless	6,200	4,900	12,400	EN2803TX6	4689302	\$72.00
3"	8'	Eye/Eye	6,200	4,900	12,400	EE2803TFX8	454343	\$49.02
3"	8'	Endless	6,200	4,900	12,400	EN2803TX8	5001647	\$89.95
3"	10'	Eye/Eye	6,200	4,900	12,400	EE2803TFX10	4663818	\$58.14
3"	10'	Endless	6,200	4,900	12,400	EN2803TX10	5001632	\$107.89
3"	12'	Eye/Eye	12,400	9,900	24,800	EE2803TFX12	4628611	\$67.26
3"	12'	Endless	12,400	9,900	24,800	EN2803TX12	5001634	\$125.84
3"	16'	Eye/Eye	12,400	9,900	24,800	EE2803TFX16	4691171	\$85.48
3"	16'	Endless	12,400	9,900	24,800	EN2803TX16	5001638	\$161.73
3"	20'	Eye/Eye	12,400	9,900	24,800	EE2803TFX20	4691173	\$103.72
3"	20'	Endless	12,400	9,900	24,800	EN2803TX20	5001642	\$197.63
3"	30'	Eye/Eye	12,400	9,900	24,800	EE2803TFX30	5710079	\$149.31
3"	30'	Endless	12,400	9,900	24,800	EN2803TX30	5714901	\$287.36
4"	4'	Eye/Eye	16,500	13,200	33,000	EE2804TFX4	4592452	\$41.92
4"	4'	Endless	16,500	13,200	33,000	EN2804TX4	5001693	\$73.20
4"	6'	Eye/Eye	16,500	13,200	33,000	EE2804TFX6	4592456	\$53.74
4"	6'	Endless	16,500	13,200	33,000	EN2804TX6	5001695	\$96.15
4"	8'	Eye/Eye	16,500	13,200	33,000	EE2804TFX8	4592453	\$65.55
4"	8'	Endless	16,500	13,200	33,000	EN2804TX8	5001697	\$119.10
4"	10'	Eye/Eye	16,500	13,200	33,000	EE2804TFX10	4548254	\$77.36
4"	10'	Endless	16,500	13,200	33,000	EN2804TX10	5001681	\$142.05
4"	12'	Eye/Eye	20,700	16,500	41,400	EE2804TFX12	5710279	\$89.18
4"	12'	Endless	20,700	16,500	41,400	EN2804TX12	5001683	\$165.01
4"	16'	Eye/Eye	20,700	16,500	41,400	EE2804TFX16	5536301	\$112.82
4"	16'	Endless	20,700	16,500	41,400	EN2804TX16	5001687	\$210.93
4"	20'	Eye/Eye	20,700	16,500	41,400	EE2804TFX20	4592455	\$136.45
4"	20'	Endless	20,700	16,500	41,400	EN2804TX20	5001691	\$256.83
4"	30'	Eye/Eye	20,700	16,500	41,400	EE2804TFX30	5710290	\$195.53
4"	30'	Endless	20,700	16,500	41,400	EN2804TX30	5714933	\$371.61


Tuff-Edge® III Eye/Eye slings feature a flat eye at each end. Eye/Eye are preferred for situations requiring precise control and attachment points. Web slings of 3" width or more have tapered eyes.



Eye/Eye



Endless



Soft twill weave body with superior edge cut and abrasion resistant performance.

Edge Damage Limit (EDL) out of service marker simplifies the inspection process and extends the web sling life.

Tubular edge with reinforced core.

No coated edge yarns.

- Lift-All® Tuff-Edge® III introduces a patented design with edge-cut resistance and increased abrasion.
  - Easily inspect webbing with Edge Damage Limit (EDL) marker.
  - Always protect synthetic slings from being cut by corners and edges.
  - The EDL marker tool both simplifies the inspection process and also extends the life of the web slings, saving you money.
  - Tubular edge design with damage-resistant core helps protect the body fibers from cutting, keeping the integrity of the sling intact without compromising its strength.
  - Easy to identify by the blue tubular edges and EDL marker.
- † Made To Order Non-Stock Item.



SCAN CODE TO LEARN MORE ABOUT



## SPECIALTY SLINGS

### LiftAIL<sup>®</sup> HOSE HALTERS™

Nylon



- Reduces damage to equipment and injury to personnel when hoses accidentally disconnect while under pressure.
- Suitable for use on pneumatic, water and hydraulic hoses.
- Easy to install and remove.
- Meets both OSHA and Canada OSH requirements for restraints..
- When securing hoses and pipe connections, do not exceed the specified pressure ratings.

† Made To Order Non-Stock Item.

COLOR	RECOMMENDED FOR USE ON THE FOLLOWING PIPE & HOSE INSIDE DIAMETERS									DIMENSIONS W x L	PLIES	MFR #	A&M #	SALE PRICE
	1/4"	1/2"	3/4"	1"	2"	3"	4"	6"	HOSE MAXIMUM INTERNAL PRESSURE (PSI) AT ABOVE HOSE I.D.					
ORANGE	26,000	6,500	2,900	1,650	400	175	100	50		1" x 22"	1	HH122	5715487	\$7.29
										1" x 30"	1	HH130	5001813	\$7.88
										1" x 40"	1	HH140	4748535	\$8.64
										1" x 44"	1	HH144	5715488	\$8.95
										1" x 64"	1	HH164	5715489	\$10.50
										1" x 30"	2	HH230	4724180	\$11.87
ORANGE	52,000	13,000	5,800	3,300	750	350	200	90		1" x 44"	2	HH244	5001814	\$14.02
										1" x 64"	2	HH264	5001815	\$17.09
										1" x 74"	2	HH274	5715491	\$18.60
YELLOW	—	29,000	13,000	7,300	1,800	820	460	200		1" x 30"	3	HH330	4730028	\$28.48
										1" x 44"	3	HH344	5001816	\$34.09
										1" x 64"	3	HH364	5001817	\$40.77
										1" x 30"	4	HH430	5001818	\$29.82
										1" x 44"	4	HH444	5001819	\$35.99
YELLOW	—	37,000	16,000	9,400	2,300	1,040	580	260		1" x 64"	4	HH464	5001820	\$43.39

### LiftAIL<sup>®</sup> GRIPHOOK<sup>®</sup>

Turns Your Forklift Into A Hoist In A Matter Of Seconds



## GRIPHOOK<sup>®</sup>

- Lightweight alternative to metal attachments.
- Self-grips to fork so there's no need to tighten, saving you time.
- Turns your forklift into a hoist in a matter of seconds.
- Quick to install, remove and easy to store.

† Made To Order Non-Stock Item.

DESCRIPTION	WEIGHT LIMIT LOAD CAPACITY	MFR #	A&M #	SALE PRICE
GRIPHOOK <sup>®</sup> With Import Alloy Swivel Hook For 4" Fork	1-TON	GH4S-1	5131633	\$118.22
GRIPHOOK <sup>®</sup> With Import Alloy Swivel Hook For 5" Fork	1-TON	GH5S-1	5131634	\$125.12
GRIPHOOK <sup>®</sup> With Import Alloy Swivel Hook For 6" Fork	1-TON	GH6S-1	5131635	\$140.10
GRIPHOOK <sup>®</sup> With Import Alloy Swivel Hook For 5" Fork	2-TON	GH5S-2	5131636	\$155.73
GRIPHOOK <sup>®</sup> With Import Alloy Swivel Hook For 6" Fork	2-TON	GH6S-2	5131638	\$164.24
GRIPHOOK <sup>®</sup> With Import Alloy Swivel Hook For 8" Fork	2-TON	GH8S-2	5715486	\$198.93

### LiftAIL<sup>®</sup> 5-GALLON BUCKET SLING

Lift 5-Gallon Pails With Ease



- Designed to lift 5 gallon buckets with an 11" diameter base.
- Two belly bands keep the bucket secure and steady.
- Rated capacity: 200 lbs.
- Made for standard 11" diameter base.

† Made To Order Non-Stock Item.

MFR #BS5  
A&M #4674420  
**\$20<sup>02</sup>**

### LiftAIL<sup>®</sup> HYDRANT SLINGS

Lift Fire Hydrants Safely & Securely



- Lightweight and available in two lengths: 4'-6" and 7'-6".
- Will not rust and protects the hydrant finish while lifting.
- Easy to store.
- 4,000-lb capacity.

† Made To Order Non-Stock Item.

DESCRIPTION	MFR #	A&M #	SALE PRICE
4' 6" Hydrant Sling	HEN60	6804440	\$187.58
7' 6" Hydrant Sling	HEN6076	6804441	\$222.06

# LiftAll® ENDLESS TUFLEX® ROUND\_SLING

Polyester • Polyester & Nylon

- Always protect synthetic slings from being cut by corners and edges.
- Color-coded capacities for quick identification.
- No strength loss from abrasion to cover.
- The most versatile endless sling on the market.
- Wear points can be shifted to extend sling life.

† Made To Order Non-Stock Item.



DESCRIPTION	RATED CAPACITY (LBS.)*				MFR #	A&M #	SALE PRICE
	VERTICAL	CHOKER	BASKET @90°	BASKET @45°			
<b>POLYESTER</b>							
PURPLE 3'	2,600	2,100	5,200	3,600	EN30X3	2888939	\$12.16
PURPLE 4'					EN30X4	4593569	\$14.98
PURPLE 6'					EN30X6	4593572	\$20.59
PURPLE 8'					EN30X8	599965	\$26.22
PURPLE 10'					EN30X10	4624886	\$31.83
PURPLE 12'					EN30X12	4627904	\$51.80
GREEN 3'	5,300	4,200	10,600	7,400	EN60X3	4593573	\$14.47
GREEN 4'					EN60X4	4593574	\$18.16
GREEN 6'					EN60X6	4781898	\$25.55
GREEN 8'					EN60X8	2888951	\$32.96
GREEN 10'					EN60X10	4617195	\$40.35
GREEN 12'					EN60X12	2888953	\$66.03
YELLOW 3'	8,400	6,700	16,800	11,800	EN90X3	4584998	\$19.15
YELLOW 4'					EN90X4	2888958	\$24.14
YELLOW 6'					EN90X6	2888959	\$34.12
YELLOW 8'					EN90X8	4627903	\$44.09
YELLOW 10'					EN90X10	4629071	\$54.08
YELLOW 12'					EN90X12	4625093	\$88.58
RED 3'	13,200	10,600	26,400	18,000	EN150X3	5000890	\$28.31
RED 4'					EN150X4	5000891	\$35.71
RED 6'					EN150X6	4617260	\$50.51
RED 8'					EN150X8	4625094	\$65.34
RED 10'					EN150X10	383524	\$80.15
RED 12'					EN150X12	4625095	\$131.32
BLUE 3'	21,200	17,000	42,400	29,000	EN240X3	5001326	\$43.01
BLUE 4'					EN240X4	5001327	\$53.11
BLUE 6'					EN240X6	4675248	\$79.24
BLUE 8'					EN240X8	5001329	\$103.38
BLUE 10'					EN240X10	599956	\$127.52
BLUE 12'					EN240X12	5714658	\$209.73

DESCRIPTION	RATED CAPACITY (LBS.)*				MFR #	A&M #	SALE PRICE
	VERTICAL	CHOKER	BASKET @90°	BASKET @45°			
<b>POLYESTER &amp; NYLON</b>							
GRAY 10'	31,000	24,800	62,000	43,000	EN360X10	4634126	\$185.27
GRAY 12'					EN360X12	5001766	\$220.24
GRAY 16'					EN360X16	4730615	\$290.16
GRAY 20'					EN360X20	4760009	\$360.10
GRAY 30'					EN360X30	5715324	\$534.92
GRAY 40'					EN360X40	5715325	\$709.74
OLIVE 10'	66,000	52,800	132,000	93,000	EN800X10	4617958	\$334.32
OLIVE 12'					EN800X12	5001793	\$399.36
OLIVE 16'					EN800X16	5001797	\$529.47
OLIVE 20'					EN60X8	2888951	\$32.96
OLIVE 30'					EN800X30	5715398	\$984.88
OLIVE 40'					EN800X40	5715399	\$1,310.16

# LiftAll® DIRECT CONNECT HOOKS

- The alloy steel hook and latch are forged for superior toughness.
- Color-coded hook matches Tuflex® color capacity for easy identification.

† Non-Stock Item.



DESCRIPTION	VERTICAL CAPACITY 90° (LBS.)	MFR #	A&M #	SALE PRICE
PURPLE	2,600	DCH1	4679215	\$80.77
GREEN	5,300	DCH2	4651697	\$106.74
YELLOW	8,400	DCH3	4676556	\$148.59
RED	13,200	DCH4	4679216	\$360.61

**LiftAIL™ DYNAFLEX™ DYNEEMA SLINGS**

Polyester • Polyester & Nylon

**DynaFlex™**



- Always protect synthetic slings from being cut by corners and edges.
- Ultra-Lightweight and natural buoyancy made with 100% Dyneema Core (non-blended).
- Good chemical resistance and reduced water absorption.
- Single path design allows higher strength common rigging hardware.


† Made To Order Non-Stock Item.

**100% DYNEEMA CORE:  
THE WORLD'S STRONGEST  
MOST ADVANCED, HIGH-TENACITY FIBER**

LENGTH	RATED CAPACITY (LBS.)*			MFR #	A&M #	SALE PRICE
	VERTICAL	CHOKER	BASKET @90°			
6'	100,000	80,000	200,000	DEN40KX6	5704921	\$360.70
8'				DEN100KX8	5704563	\$1,344.92
8'				DEN125KX8	5704634	\$1,701.72
8'				DEN150KX8	5704667	\$1,989.92
8'				DEN200KX8	5704771	\$2,561.74
8'				DEN40KX8	5704923	\$470.03
8'	125,000	100,000	250,000	DEN70KX8	5705025	\$858.41
8'				DEN90KX8	5705091	\$1,198.53
10'				DEN100KX10	5704532	\$1,617.10
10'				DEN125KX10	5704603	\$2,051.22
10'				DEN150KX10	5704636	\$2,398.42
10'				DEN200KX10	5704740	\$3,128.98
10'	150,000	120,000	300,000	DEN40KX10	5704887	\$579.36
10'				DEN70KX10	5704994	\$1,037.73
10'				DEN90KX10	5705060	\$1,440.06
16'				DEN100KX16	5704538	\$2,433.65
16'				DEN125KX16	5704609	\$3,099.70
16'				DEN150KX16	5704642	\$3,623.94
16'	200,000	160,000	400,000	DEN200KX16	5704746	\$4,830.70
16'				DEN40KX16	5704893	\$907.35
16'				DEN70KX16	5705000	\$1,575.69
16'				DEN90KX16	5705066	\$2,164.67
20'				DEN100KX20	5704542	\$2,978.02
20'				DEN125KX20	5704613	\$3,798.68

LENGTH	RATED CAPACITY (LBS.)*			MFR #	A&M #	SALE PRICE
	VERTICAL	CHOKER	BASKET @90°			
20'	40,000	32,000	80,000	DEN150KX20	5704646	\$4,440.95
20'				DEN200KX20	5704750	\$5,965.18
20'				DEN40KX20	5704897	\$1,126.02
20'				DEN70KX20	5705004	\$1,934.34
20'				DEN90KX20	5705070	\$2,647.74
20'				DEN100KX30	5704552	\$4,338.94
30'	70,000	56,000	140,000	DEN125KX30	5704623	\$5,546.15
30'				DEN150KX30	5704656	\$6,483.48
30'				DEN200KX30	5704760	\$8,801.39
30'				DEN40KX30	5704908	\$1,672.68
30'				DEN70KX30	5705014	\$2,830.95
30'				DEN90KX30	5705080	\$3,855.42
40'	90,000	72,000	180,000	DEN100KX40	5704557	\$5,699.85
40'				DEN125KX40	5704628	\$7,293.62
40'				DEN150KX40	5704661	\$8,526.00
40'				DEN200KX40	5704765	\$11,637.60
40'				DEN70KX40	5705019	\$3,727.55
40'				DEN90KX40	5705085	\$5,063.08

**LiftAIL™ EDGE DEFENDER™ CUT RESISTANT PROTECTION PAD**



Shown opened



Shown with sling enclosed

- Extend life of slings.
- Creates a high level of compression on the surface to produce a superior level of cut protection.
- Protects load surfaces from damage at points of contact.
- Edge Defender™ is made of polyester with Kevlar® aramid binding.

† Made To Order Non-Stock Item.

DESCRIPTION	MFR #	A&M #	SALE PRICE
12 X 12" Edge Defender™	ED12X12IN	5706479	\$118.93
12 X 18" Edge Defender™	ED12X18IN	5706480	\$161.15
12 X 24" Edge Defender™	ED12X24IN	5706481	\$207.05
12 X 30" Edge Defender™	ED12X30IN	5706482	\$249.25
12 X 36" Edge Defender™	ED12X36IN	5706483	\$291.47
10 X 12" Edge Defender™	ED10X12IN	4999187	\$66.60
3 X 12" Edge Defender™	ED3X12IN	4999192	\$23.84
4 X 12" Edge Defender™	ED4X12IN	4999197	\$27.56
6 X 12" Edge Defender™	ED6X12IN	4999202	\$37.83
8 X 12" Edge Defender™	ED8X12IN	4999207	\$51.78
10 X 18" Edge Defender™	ED10X18IN	4999188	\$88.95

DESCRIPTION	MFR #	A&M #	SALE PRICE
3 X 18" Edge Defender™	ED3X18IN	4999193	\$28.38
4 X 18" Edge Defender™	ED4X18IN	4999198	\$33.69
6 X 18" Edge Defender™	ED6X18IN	4999203	\$48.66
8 X 18" Edge Defender™	ED8X18IN	4999208	\$68.92
10 X 24" Edge Defender™	ED10X24IN	4999189	\$113.86
3 X 24" Edge Defender™	ED3X24IN	4999194	\$33.69
4 X 24" Edge Defender™	ED4X24IN	4999199	\$40.71
6 X 24" Edge Defender™	ED6X24IN	4999204	\$60.71
8 X 24" Edge Defender™	ED8X24IN	4999209	\$87.67
10 X 30" Edge Defender™	ED10X30IN	4999190	\$136.20

DESCRIPTION	MFR #	A&M #	SALE PRICE
3 X 30" Edge Defender™	ED3X30IN	4999195	\$38.27
4 X 30" Edge Defender™	ED4X30IN	4999200	\$46.82
6 X 30" Edge Defender™	ED6X30IN	4999205	\$71.53
8 X 30" Edge Defender™	ED8X30IN	4999210	\$104.84
10 X 36" Edge Defender™	ED10X36IN	4999191	\$158.56
3 X 36" Edge Defender™	ED3X36IN	4999196	\$42.81
4 X 36" Edge Defender™	ED4X36IN	4999201	\$52.92
6 X 36" Edge Defender™	ED6X36IN	4999206	\$82.40
8 X 36" Edge Defender™	ED8X36IN	4999211	\$121.95
4 X 48" Edge Defender™	ED4X48IN	5706484	\$55.78

**Lift-All® STEEL WIRE ROPE SLINGS**

Steel • 6X19 IWRC



- 6X19 IWRC for good abrasion resistance.
- Mechanically swaged Flemish eyes.
- TUFF-TAG™ for permanent identification as required by OSHA.
- Least expensive per capacity of all steel slings.

† Made To Order Non-Stock Item.



Lift-All® wire rope slings are made using the Flemish Eye splice technique to form the eyes. Unlike the simple return loop method that places 100% of its strength on the swaged sleeve, wire rope slings have reserve strength should the sleeve become damaged in use.

WIDTH	LENGTH	SLING TYPE	RATED CAPACITY (LBS.)			MFR #	A&M #	SALE PRICE
			VERTICAL (90°)	CHOKER	BASKET (90°)			
1/4"	2'	Eye/Eye	19,600	14,400	40,000	14EEX2	4704545	\$18.19
3/8"	2'	Eye/Eye	19,600	14,400	40,000	38EEX2	4998796	\$26.32
1/2"	3'	Eye/Eye	19,600	14,400	40,000	12EEX3	4998315	\$41.54
1/4"	3'	Eye/Eye	19,600	14,400	40,000	14EEX3	4998442	\$21.49
3/8"	3'	Eye/Eye	19,600	14,400	40,000	38EEX3	4745706	\$30.63
5/8"	3'	Eye/Eye	19,600	14,400	40,000	58EEX3	4724972	\$58.76
1/2"	4'	Eye/Eye	5,000	3,800	10,200	12EEX4	4998316	\$46.69
1/4"	4'	Eye/Eye	5,000	3,800	10,200	14EEX4	4828957	\$24.76
3/4"	4'	Eye/Eye	5,000	3,800	10,200	34EEX4	4707019	\$106.14
3/8"	4'	Eye/Eye	5,000	3,800	10,200	38EEX4	4745708	\$34.96
5/8"	4'	Eye/Eye	5,000	3,800	10,200	58EEX4	4998959	\$65.58
1"	5'	Eye/Eye	5,000	3,800	10,200	1EEX4	4998529	\$186.01
1"	6'	Eye/Eye	1,300	960	2,600	1EEX6	4998531	\$232.07
1/2"	6'	Eye/Eye	1,300	960	2,600	12EEX6	4605802	\$57.01
1/4"	6'	Eye/Eye	1,300	960	2,600	14EEX6	4998444	\$31.35
1-1/8"	6'	Eye/Eye	1,300	960	2,600	118EEX6	5683822	\$298.41
3/4"	6'	Eye/Eye	1,300	960	2,600	34EEX6	4605801	\$125.20
3/8"	6'	Eye/Eye	1,300	960	2,600	38EEX6	4998799	\$43.58
5/8"	6'	Eye/Eye	24,000	18,200	48,000	58EEX6	4998961	\$79.21
1"	8'	Eye/Eye	24,000	18,200	48,000	1EEX8	4998533	\$263.25
1/2"	8'	Eye/Eye	24,000	18,200	48,000	12EEX8	4765632	\$67.33
1/4"	8'	Eye/Eye	24,000	18,200	48,000	14EEX8	4998446	\$37.92
1-1/8"	8'	Eye/Eye	24,000	18,200	48,000	118EEX8	5683824	\$336.01
3/4"	8'	Eye/Eye	24,000	18,200	48,000	34EEX8	4998689	\$144.29
3/8"	8'	Eye/Eye	11,200	8,200	22,000	38EEX8	4998801	\$52.20
5/8"	8'	Eye/Eye	11,200	8,200	22,000	58EEX8	4998963	\$92.83
1"	10'	Eye/Eye	11,200	8,200	22,000	1EEX10	4998518	\$294.43
1/2"	10'	Eye/Eye	11,200	8,200	22,000	12EEX10	4765242	\$77.64
1/4"	10'	Eye/Eye	11,200	8,200	22,000	14EEX10	4998431	\$44.50
1-1/8"	10'	Eye/Eye	11,200	8,200	22,000	118EEX10	5683800	\$373.60
3/4"	10'	Eye/Eye	2,800	2,200	5,800	34EEX10	4998677	\$163.36
3/8"	10'	Eye/Eye	2,800	2,200	5,800	38EEX10	4998786	\$60.84
5/8"	10'	Eye/Eye	2,800	2,200	5,800	58EEX10	4687438	\$106.46
1"	16'	Eye/Eye	2,800	2,200	5,800	1EEX16	4998524	\$387.99
1/2"	16'	Eye/Eye	2,800	2,200	5,800	12EEX16	4998310	\$108.58
1-1/8"	16'	Eye/Eye	2,800	2,200	5,800	118EEX16	5683806	\$486.39
3/4"	16'	Eye/Eye	7,800	5,800	15,600	34EEX16	4998682	\$220.60
5/8"	16'	Eye/Eye	7,800	5,800	15,600	58EEX16	4998953	\$147.30
1"	20'	Eye/Eye	7,800	5,800	15,600	1EEX20	4998528	\$450.35
1-1/8"	20'	Eye/Eye	7,800	5,800	15,600	118EEX20	5683810	\$561.58
3/4"	20'	Eye/Eye	7,800	5,800	15,600	34EEX20	4998686	\$258.75
1-1/8"	30'	Eye/Eye	7,800	5,800	15,600	118EEX30	5683820	\$749.55

ALTERNATE EYE OPTIONS AVAILABLE  
please call for pricing



Wire Rope Crescent Thimble




Wire Rope Eye / Crescent Thimble



Wire Rope Eye / Eye Slip-Thru Thimble



Wire Rope Eye / Eye Thimble



Wire Rope Eye / Eye Thimble Hook



Wire Rope Slip-Thru Thimble



Wire Rope Slip-Thru Thimble / Thimble Hook



Wire Rope Thimble / Crescent Thimble



Wire Rope Thimble / Slip-Thru Thimble



Wire Rope Thimble



Wire Rope Thimble / Thimble Hook



Wire Rope Eye / Eye Thimble Sliding Choker Hook



Wire Rope Eye / Eye Sliding Choker Hook

# DOMESTIC WIRE ROPE BRIDLES

## LiftAll® BRIDLE WIRE ROPE SLINGS

Steel • Oblong/Sling Hook



2-Leg



4-Leg

Thimble eyes provide increased wear resistance & life



Featuring domestic hooks with optional latches



- 6X19 IWRC for good abrasion resistance.
- Thimble eyes protect wire rope wear for increased life.
- Bridles provide better load control and balance.
- Domestic hooks with optional latches are standard on domestic rope bridles.

† Made To Order Non-Stock Item.

♦ Latch Kits NOT Included. Must Order Latch Kits Separately.

Please See Page 10.

WIDTH	LENGTH	RATED CAPACITY (LBS.)			MFR #	A&M #	SALE PRICE
		@ 60°	@ 45°	@ 30°			
<b>6X19 IWRC 2-LEG O/H DOMESTIC</b>							
1/4"	2'	8,800	7,200	5,000	142LBX2	4998418	\$123.88
1/4"	3'	8,800	7,200	5,000	142LBX3	4998420	\$130.44
3/8"	3'	8,800	7,200	5,000	382LBX3	4998758	\$169.31
1/2"	4'	8,800	7,200	5,000	122LBX4	4998281	\$243.53
1/4"	4'	8,800	7,200	5,000	142LBX4	4998421	\$137.03
3/8"	4'	8,800	7,200	5,000	382LBX4	4765561	\$177.93
1/2"	6'	8,800	7,200	5,000	122LBX6	4998283	\$264.16
1/2"	6'	8,800	7,200	5,000	122LBX6	4998283	\$264.16
1/4"	6'	8,800	7,200	5,000	142LBX6	4998423	\$150.17
3/4"	6'	8,800	7,200	5,000	342LBX6	4998655	\$692.13
3/8"	6'	8,800	7,200	5,000	382LBX6	4998760	\$195.19
7/8"	6'	8,800	7,200	5,000	782LBX6	5700179	\$1,067.66
1/2"	8'	2,200	1,820	1,300	122LBX8	4998285	\$284.81
1/2"	8'	2,200	1,820	1,300	122LBX8	4998285	\$284.81
1/4"	8'	2,200	1,820	1,300	142LBX8	4998425	\$163.34
3/4"	8'	2,200	1,820	1,300	342LBX8	4998657	\$730.27
3/8"	8'	2,200	1,820	1,300	382LBX8	4998762	\$212.45
7/8"	8'	2,200	1,820	1,300	782LBX8	5700181	\$1,114.13
1/2"	10'	19,400	15,800	11,200	122LBX10	4998269	\$305.43
1/2"	10'	19,400	15,800	11,200	122LBX10	4998269	\$305.43
1/4"	10'	19,400	15,800	11,200	142LBX10	4998408	\$176.50
3/4"	10'	19,400	15,800	11,200	342LBX10	4998642	\$768.43
3/8"	10'	19,400	15,800	11,200	382LBX10	4998746	\$229.71
7/8"	10'	19,400	15,800	11,200	782LBX10	5700156	\$1,160.59
1/2"	12'	5,000	4,000	2,800	122LBX12	4998271	\$326.06
1/2"	12'	5,000	4,000	2,800	122LBX12	4998271	\$326.06
3/4"	12'	5,000	4,000	2,800	342LBX12	4998644	\$806.59
3/8"	12'	5,000	4,000	2,800	382LBX12	4998748	\$246.99
7/8"	12'	5,000	4,000	2,800	782LBX12	5700158	\$1,207.06
1/2"	16'	5,000	4,000	2,800	122LBX16	4998275	\$367.33
1/2"	16'	26,000	22,000	15,200	122LBX16	4998275	\$367.33
3/4"	16'	26,000	22,000	15,200	342LBX16	4998648	\$882.90
7/8"	16'	26,000	22,000	15,200	782LBX16	5700162	\$1,300.02
1/2"	20'	26,000	22,000	15,200	122LBX20	4998279	\$408.60
3/4"	20'	26,000	22,000	15,200	342LBX20	4998652	\$959.22
7/8"	20'	26,000	22,000	15,200	782LBX20	5700166	\$1,392.97

WIDTH	LENGTH	RATED CAPACITY (LBS.)			MFR #	A&M #	SALE PRICE
		@ 60°	@ 45°	@ 30°			
<b>6X19 IWRC 4-LEG O/H DOMESTIC</b>							
1/4"	2'	17,600	14,200	10,200	144LBX2	5686813	\$202.92
1/4"	3'	17,600	14,200	10,200	144LBX3	5686824	\$216.09
3/8"	3'	17,600	14,200	10,200	384LBX3	5691715	\$294.61
1/2"	4'	17,600	14,200	10,200	124LBX4	5684077	\$483.90
1/4"	4'	17,600	14,200	10,200	144LBX4	5686826	\$229.26
3/8"	4'	17,600	14,200	10,200	384LBX4	5691717	\$311.87
5/8"	4'	17,600	14,200	10,200	584LBX4	5694814	\$874.11
1/2"	6'	17,600	14,200	10,200	124LBX6	5684079	\$525.17
1/2"	6'	17,600	14,200	10,200	124LBX6	5684079	\$525.17
1/4"	6'	17,600	14,200	10,200	144LBX6	5686828	\$255.57
3/4"	6'	17,600	14,200	10,200	344LBX6	5689709	\$1,685.39
3/8"	6'	17,600	14,200	10,200	384LBX6	5691719	\$346.38
5/8"	6'	4,400	3,600	2,600	584LBX6	5694816	\$928.61
7/8"	6'	4,400	3,600	2,600	784LBX6	5700233	\$2,985.16
1/2"	8'	4,400	3,600	2,600	124LBX8	5684081	\$566.44
1/2"	8'	4,400	3,600	2,600	124LBX8	5684081	\$566.44
1/4"	8'	4,400	3,600	2,600	144LBX8	5686830	\$281.88
3/4"	8'	4,400	3,600	2,600	344LBX8	5689711	\$1,756.05
3/8"	8'	38,000	32,000	22,000	384LBX8	5691721	\$380.91
5/8"	8'	38,000	32,000	22,000	584LBX8	5694818	\$983.10
7/8"	8'	38,000	32,000	22,000	784LBX8	5700235	\$3,078.12
1/2"	10'	38,000	32,000	22,000	124LBX10	5684055	\$607.68
1/2"	10'	38,000	32,000	22,000	124LBX10	5684055	\$607.68
1/4"	10'	38,000	32,000	22,000	144LBX10	5686803	\$308.20
3/4"	10'	10,000	8,200	5,800	344LBX10	5689685	\$1,826.71
3/8"	10'	10,000	8,200	5,800	384LBX10	5691694	\$415.42
5/8"	10'	10,000	8,200	5,800	584LBX10	5694792	\$960.72
7/8"	10'	10,000	8,200	5,800	784LBX10	5700210	\$3,171.07
1/2"	12'	10,000	8,200	5,800	124LBX12	5684057	\$648.96
1/2"	12'	10,000	8,200	5,800	124LBX12	5684057	\$648.96
3/4"	12'	28,000	22,000	15,600	344LBX12	5689687	\$1,897.37
3/8"	12'	28,000	22,000	15,600	384LBX12	5691696	\$449.94
5/8"	12'	28,000	22,000	15,600	584LBX12	5694794	\$1,011.18
7/8"	12'	28,000	22,000	15,600	784LBX12	5700212	\$3,264.01
1/2"	16'	28,000	22,000	15,600	124LBX16	5684061	\$731.51
1/2"	16'	28,000	22,000	15,600	124LBX16	5684061	\$731.51
3/4"	16'	52,000	42,000	30,000	344LBX16	5689691	\$2,038.70
5/8"	16'	52,000	42,000	30,000	584LBX16	5694798	\$1,112.11
7/8"	16'	52,000	42,000	30,000	784LBX16	5700216	\$3,449.93
1/2"	20'	52,000	42,000	30,000	124LBX20	4680305	\$814.02
3/4"	20'	52,000	42,000	30,000	344LBX20	5689695	\$2,180.02
7/8"	20'	52,000	42,000	30,000	784LBX20	5700220	\$3,635.81


**LiftAll** GALVANIZED STEEL PRE-CUT WIRE CABLE REELS

Stainless Steel • 7X19

- Wire cables made from stainless steel wires to prevent rust.
- 7X19 construction for better flexibility.
- Consistent break strength.
- Sold per reel for your convenience.

† Made To Order Non-Stock Item.

Strong galvanized carbon steel resists rust



WIDTH	LENGTH	MFR #	A&M #	SALE PRICE
3/8"	200'	38200719R	5691651	\$131.70
1/4"	250'	14250719R	5686761	\$82.31
3/8"	1000'	381000719R	5691645	\$688.74

**LiftAll** WIRE ROPE FITTINGS

Screw Pin Shackles & Thimbles

**Screw Pin Shackles**

- Import carbon steel body for ductility.
- Carbon galvanized SPAS to inhibit rust.
- Alloy steel pin for strength.
- For easy connect of sling to load.

† Made To Order Non-Stock Item.

**Thimbles**

- Light-weight thimbles for lighter duty applications.
- Galvanized to inhibit rust.

† Made To Order Non-Stock Item.



Screw Pin Shackle



Thimble

DESCRIPTION	MFR #	A&M #	SALE PRICE
<b>SCREW PIN SHACKLES</b>			
1/4" Import	14SPASI	4998493	\$1.25
5/16" Import	516SPASI	4998908	\$1.56
3/8" Import	38SPASI	4998860	\$1.79
7/16" Import	716SPASI	4999110	\$2.65
1/2" Import	12SPASI	4998385	\$3.72
5/8" Import	58SPASI	4999019	\$5.19
3/4" Import	34SPASI	4998743	\$7.81
7/8" Import	78SPASI	4999137	\$11.83
1" Import	1SPASI	4750956	\$17.46
1-1/8" Import	118SPASI	5683976	\$41.85
1-1/4" Import	114SPASI	5683450	\$54.77
1-3/8" Import	138SPASI	5686725	\$81.24
1-1/2" Import	112SPASI	5682269	\$102.04
1-3/4" Import	134SPASI	5686505	\$254.67
<b>THIMBLES</b>			
1/4" Import	14TS	4998494	\$0.19
3/8" Import	38TS	4622400	\$0.21
1/4" X 100 EA BAG - Import	14100TS	5686756	\$17.12

**LiftAll** WIRE ROPE CLIPS

Drop Forged & Malleable Wire Rope Clips

**Drop Forged Clips**

- Field solution for terminating wire rope and cables.
- Galvanized to inhibit rust.
- Forged clip for strength.
- Easy to use.

† Made To Order Non-Stock Item.

**Malleable Clips**

- Inexpensive method of terminating cables.
- Electro-Galvanized finish inhibits rust.
- Malleable clip for cost effectiveness.
- Easy to use.

† Made To Order Non-Stock Item.



Drop Forged Clip



Malleable Clip

DESCRIPTION	MFR #	A&M #	SALE PRICE
<b>DROP FORGED CLIPS</b>			
3/16"	316GDFC	5689638	\$7.03
1/4"	14GDFC	5687160	\$9.77
3/8"	38GDFC	5692568	\$10.79
1/2"	12GDFC	5684940	\$17.07
5/8"	58GDFC	5695620	\$21.95
2-1/2" Import	212FC	5689039	\$230.04
<b>MALLEABLE CLIPS</b>			
1/8" Import	18MC	4998516	\$0.19
3/16" Import	316MC	4998630	\$0.28
1/4" Import	14MC	4998492	\$0.35
5/16" Import	516MC	4998907	\$0.40
3/8" Import	38MC	4998839	\$0.62
1/2" Import	12MC	5685122	\$0.95
7/16" Import	716MC	5698806	\$0.98
5/8" Import	58MC	5695749	\$1.30
9/16" Import	916MC	5702781	\$1.56
3/4" Import	34MC	5690589	\$2.05
7/8" Import	78MC	5701044	\$3.21
1" Import	1MC	5688108	\$4.26
1-1/8" Import	118MC	5683972	\$20.12

# CHAIN SLINGS

## Lift-All® LATCH KITS

Install Onto Compatible Hook To Keep Load Secure



Latches to an individual hook to keep load secure



- Material: Stainless steel
- Latch type: spring
- † Non-Stock Item.



One Latch Kit needed per hook, please call for assistance.

SLING/PRODUCT WIDTH	MFR #	A&M #	SALE PRICE
<b>WIRE ROPE SLING LATCH KITS</b>			
1/4"	1LK	5688106	\$12.96
3/8"	112LK	4918712	\$14.15
1/2"	3LK	5693894	\$20.05
5/8"	5LK	5696890	\$27.30
3/4"	7LK	5702081	\$41.07
7/8"	11LK	5684006	\$76.91
<b>CHAIN SLING LATCH KITS</b>			
9/32"	932LK	5703328	\$14.11
3/8"	38LK	5692716	\$26.48
1/2"	12LK	5685121	\$42.59

## Lift-All® CHAIN SLINGS

Grade 100 Alloy Steel • Single/Double Oblong Sling Hook



Single Oblong



Double Oblong



Triple Chain

- Grade 100 Alloy Steel Lifting Chain.
- Proof-tested and certified to comply with OSHA regulations.
- Welded slings are tamper-proof for safety and security.
- Can be repaired, proof-tested and re-certified by Lift-All®.

† Made To Order Non-Stock Item.

♦ Latch Kits NOT included, must be ordered separately. Please See Above.

WIDTH	LENGTH	VERTICAL CAPACITY (LBS.)	MFR #	A&M #	SALE PRICE
<b>SINGLE OBLONG WITH SLING HOOK G100 CHAIN SLING</b>					
9/32"	2'	4,300	932SOSW10X2	5704085	\$159.58
3/8"	3'	8,800	38SOSW10X3	4998856	\$233.70
9/32"	3'	4,300	932SOSW10X3	4999181	\$168.06
1/2"	4'	15,000	12SOSW10X4	5685891	\$356.88
3/8"	4'	8,800	38SOSW10X4	4998857	\$246.16
9/32"	4'	4,300	932SOSW10X4	4999182	\$176.55
1/2"	6'	15,200	12SOSW10X6	4998383	\$396.07
3/8"	6'	8,800	38SOSW10X6	4645783	\$324.64
1/2"	8'	15,000	12SOSW10X8	4998384	\$435.28
3/8"	8'	8,800	38SOSW10X8	4828353	\$296.06
9/32"	6'	4,300	932SOSW10X6	4680771	\$193.52
9/32"	8'	4,300	932SOSW10X8	4999183	\$210.51
1/2"	10'	7,400	12SOSW10X10	4998376	\$474.47
3/8"	10'	8,800	38SOSW10X10	4748897	\$321.00
1/2"	12'	15,000	12SOSW10X12	4998377	\$513.66

WIDTH	LENGTH	RATED CAPACITY (LBS.)			MFR #	A&M #	SALE PRICE
		@ 60°	@ 45°	@ 30°			
<b>DOUBLE OBLONG WITH SLING HOOK G100 CHAIN SLING</b>							
9/32"	3'	7,400	6,100	4,300	932DOSW10X3	4999168	\$273.70
3/8"	3'	15,200	12,400	8,800	38DOSW10X3	4998783	\$396.43
1/2"	4'	26,000	21,200	15,000	12DOSW10X4	5684716	\$578.50
3/8"	4'	15,200	12,400	8,800	38DOSW10X4	4725105	\$421.37
9/32"	4'	7,400	6,100	4,300	932DOSW10X4	4999169	\$290.68
1/2"	6'	26,000	21,200	15,000	12DOSW10X6	4998303	\$656.89
3/8"	6'	15,200	12,400	8,800	38DOSW10X6	4725216	\$471.26
9/32"	6'	7,400	6,100	4,300	932DOSW10X6	4645783	\$324.64
1/2"	8'	26,000	21,200	15,000	12DOSW10X8	4998304	\$735.26
3/8"	8'	15,200	12,400	8,800	38DOSW10X8	4998785	\$521.16
9/32"	8'	7,400	6,100	4,300	932DOSW10X8	4999171	\$358.61
1/2"	10'	7,400	6,100	4,300	12DOSW10X10	4998296	\$813.66
3/8"	10'	15,200	12,400	8,800	38DOSW10X10	4998777	\$571.05
1/2"	16'	26,000	21,200	15,000	12DOSW10X16	4998299	\$1,048.81
3/8"	16'	15,200	12,400	8,800	38DOSW10X16	4998780	\$720.72
1/2"	20'	26,000	21,200	15,000	12DOSW10X20	4998301	\$1,205.59

<b>TRIPLE CHAIN SLINGS</b>							
9/32"	4'	11,200	9,100	6,400	932TOSW10X4	5704372	\$527.77
3/8"	4'	22,900	18,700	13,200	38TOSW10X4	5693748	\$658.56
1/2"	4'	39,000	31,800	22,500	12TOSW10X4	5686304	\$955.07
9/32"	6'	11,200	9,100	6,400	932TOSW10X6	5704374	\$578.72
3/8"	6'	22,900	18,700	13,200	38TOSW10X6	5693749	\$733.40
1/2"	6'	39,000	31,800	22,500	12TOSW10X6	5686306	\$1,072.65
9/32"	8'	11,200	9,100	6,400	932TOSW10X8	5704376	\$629.67
3/8"	8'	22,900	18,700	13,200	38TOSW10X8	5693751	\$808.24
1/2"	8'	39,000	31,800	22,500	12TOSW10X8	5686308	\$1,190.23
1/2"	10'	39,000	31,800	22,500	932TOSW10X10	5704354	\$680.61
3/8"	10'	22,900	18,700	13,200	38TOSW10X10	5693730	\$883.07
3/8"	10'	22,900	18,700	13,200	12TOSW10X10	5686286	\$1,307.83
3/8"	16'	22,900	18,700	13,200	38TOSW10X16	5693736	\$1,107.58
1/2"	16'	39,000	31,800	22,500	12TOSW10X16	5686292	\$1,660.55
3/8"	20'	22,900	18,700	13,200	38TOSW10X20	5693741	\$1,257.26
1/2"	20'	39,000	31,800	22,500	12TOSW10X20	5686297	\$1,895.70

**LiftAll** CHAIN SLINGS

Grade 100 Alloy Steel • Double Adj/Quad Sling Hook



Single Adjustable Sling Hook



Double Adjustable Sling Hook



Quad Oblong With Sling Hook



Quad Adjustable Sling Hook

- Grade 100 Alloy Steel Lifting Chain.
  - Proof-tested and certified to comply with OSHA regulations.
  - Welded slings are tamper-proof for safety and security.
  - Can be repaired, proof-tested and re-certified by Lift-All®.
- † Made To Order Non-Stock Item.

◆ **Latch Kits NOT included, must be ordered separately.**  
Please See Page 10.

WIDTH	LENGTH	VERTICAL CAPACITY (LBS.)	MFR #	A&M #	SALE PRICE
<b>SINGLE ADJUSTABLE SLING HOOK STYLE A G100 CHAIN SLING</b>					
9/32"	4'	8,600	932SASAW10X4	<b>5703707</b>	<b>\$226.66</b>
9/32"	6'	8,600	932SASAW10X6	<b>5703709</b>	<b>\$243.62</b>
9/32"	8'	8,600	932SASAW10X8	<b>5703711</b>	<b>\$260.62</b>
9/32"	10'	8,600	932SASAW10X10	<b>5703689</b>	<b>\$277.60</b>
9/32"	16'	8,600	932SASAW10X16	<b>5703695</b>	<b>\$328.54</b>
3/8"	6'	17,600	38SASAW10X6	<b>5693097</b>	<b>\$339.73</b>
3/8"	8'	17,600	38SASAW10X8	<b>5693099</b>	<b>\$364.65</b>
3/8"	10'	17,600	38SASAW10X10	<b>5693077</b>	<b>\$389.61</b>
3/8"	16'	17,600	38SASAW10X16	<b>5693083</b>	<b>\$464.44</b>
3/8"	20'	17,600	38SASAW10X20	<b>5693088</b>	<b>\$514.35</b>
1/2"	8'	30,000	12SASAW10X8	<b>5685506</b>	<b>\$554.85</b>
1/2"	10'	30,000	12SASAW10X10	<b>5685484</b>	<b>\$576.74</b>
1/2"	16'	30,000	12SASAW10X16	<b>5685490</b>	<b>\$711.62</b>
1/2"	20'	30,000	12SASAW10X20	<b>5685495</b>	<b>\$790.00</b>
1/2"	25'	30,000	12SASAW10X25	<b>5685500</b>	<b>\$887.99</b>

		RATED CAPACITY (LBS.)			MFR #	A&M #	SALE PRICE
WIDTH	LENGTH	@ 60°	@ 45°	@ 30°			
<b>DOUBLE ADJUSTABLE SLING HOOK STYLE A G100 CHAIN SLING</b>							
9/32"	4'	26,000	21,200	15,000	932DASAW10X4	<b>5702996</b>	<b>\$445.23</b>
3/8"	6'	39,000	31,800	22,500	38DASAW10X6	<b>5115177</b>	<b>\$690.79</b>
9/32"	6'	39,000	31,800	22,500	932DASAW10X6	<b>5702998</b>	<b>\$479.18</b>
1/2"	8'	39,000	31,800	22,500	12DASAW10X8	<b>5684417</b>	<b>\$1,073.88</b>
3/8"	8'	15,200	12,400	8,800	38DASAW10X8	<b>5692103</b>	<b>\$740.69</b>
9/32"	8'	15,200	12,400	8,800	932DASAW10X8	<b>5703000</b>	<b>\$513.15</b>
1/2"	10'	15,200	12,400	8,800	12DASAW10X10	<b>4661685</b>	<b>\$1,152.27</b>
3/8"	10'	22,900	18,700	13,200	38DASAW10X10	<b>4661687</b>	<b>\$790.58</b>
9/32"	10'	22,900	18,700	13,200	932DASAW10X10	<b>5702978</b>	<b>\$547.11</b>
1/2"	16'	22,900	18,700	13,200	12DASAW10X16	<b>5684401</b>	<b>\$1,387.42</b>
3/8"	16'	7,400	6,100	4,300	38DASAW10X16	<b>5692088</b>	<b>\$940.25</b>
9/32"	16'	7,400	6,100	4,300	932DASAW10X16	<b>5702984</b>	<b>\$648.99</b>
1/2"	20'	7,400	6,100	4,300	12DASAW10X20	<b>5684406</b>	<b>\$1,544.20</b>
3/8"	20'	11,200	9,100	6,400	38DASAW10X20	<b>5692093</b>	<b>\$1,040.03</b>
1/2"	25'	11,200	9,100	6,400	12DASAW10X25	<b>5684411</b>	<b>\$1,740.18</b>

		RATED CAPACITY (LBS.)			MFR #	A&M #	SALE PRICE
WIDTH	LENGTH	@ 60°	@ 45°	@ 30°			
<b>QUAD OBLONG WITH SLING HOOK G100 CHAIN SLING</b>							
1/2"	4'	39,000	31,800	22,500	12QOSW10X4	<b>5685358</b>	<b>\$1,187.18</b>
3/8"	4'	22,900	18,700	13,200	38QOSW10X4	<b>5692951</b>	<b>\$834.58</b>
9/32"	4'	11,200	9,100	6,400	932QOSW10X4	<b>5703564</b>	<b>\$664.42</b>
1/2"	6'	39,000	31,800	22,500	12QOSW10X6	<b>5685360</b>	<b>\$1,343.96</b>
3/8"	6'	22,900	18,700	13,200	38QOSW10X6	<b>5692953</b>	<b>\$934.36</b>
9/32"	6'	11,200	9,100	6,400	932QOSW10X6	<b>5703565</b>	<b>\$732.34</b>
1/2"	8'	39,000	31,800	22,500	12QOSW10X8	<b>5685362</b>	<b>\$1,500.72</b>
3/8"	8'	22,900	18,700	13,200	38QOSW10X8	<b>5692955</b>	<b>\$1,034.16</b>
9/32"	8'	11,200	9,100	6,400	932QOSW10X8	<b>5703567</b>	<b>\$800.26</b>
1/2"	10'	39,000	31,800	22,500	12QOSW10X10	<b>5685340</b>	<b>\$1,657.50</b>
3/8"	10'	22,900	18,700	13,200	38QOSW10X10	<b>5692933</b>	<b>\$1,133.94</b>
9/32"	10'	11,200	9,100	6,400	932QOSW10X10	<b>5703546</b>	<b>\$868.20</b>
1/2"	16'	39,000	31,800	22,500	12QOSW10X16	<b>5685346</b>	<b>\$2,127.81</b>
3/8"	16'	22,900	18,700	13,200	38QOSW10X16	<b>5692939</b>	<b>\$1,433.28</b>
1/2"	20'	39,000	31,800	22,500	12QOSW10X20	<b>5685351</b>	<b>\$2,441.36</b>
3/8"	20'	22,900	18,700	13,200	38QOSW10X20	<b>5692944</b>	<b>\$1,632.85</b>
<b>QUAD ADJUSTABLE HOOK STYLE A G100 CHAIN SLING</b>							
9/32"	4'	11,200	9,100	6,400	932QASAW10X4	<b>5703372</b>	<b>\$784.65</b>
3/8"	4'	22,900	18,700	13,200	38QASAW10X10	<b>5692742</b>	<b>\$1,404.88</b>
9/32"	6'	11,200	9,100	6,400	932QASAW10X6	<b>5703374</b>	<b>\$852.58</b>
3/8"	6'	22,900	18,700	13,200	38QASAW10X6	<b>5692762</b>	<b>\$1,205.33</b>
9/32"	8'	11,200	9,100	6,400	932QASAW10X8	<b>5703376</b>	<b>\$920.50</b>
3/8"	8'	22,900	18,700	13,200	38QASAW10X8	<b>5692764</b>	<b>\$1,305.12</b>
1/2"	8'	39,000	31,800	22,500	12QASAW10X8	<b>5685170</b>	<b>\$1,977.91</b>
9/32"	10'	11,200	9,100	6,400	932QASAW10X10	<b>5703354</b>	<b>\$988.42</b>
1/2"	10'	39,000	31,800	22,500	12QASAW10X10	<b>5685148</b>	<b>\$2,134.68</b>
9/32"	16'	11,200	9,100	6,400	932QASAW10X16	<b>5703360</b>	<b>\$1,192.18</b>
3/8"	16'	22,900	18,700	13,200	38QASAW10X16	<b>5692748</b>	<b>\$1,704.24</b>
1/2"	16'	39,000	31,800	22,500	12QASAW10X16	<b>5685154</b>	<b>\$2,604.99</b>
3/8"	20'	22,900	18,700	13,200	38QASAW10X20	<b>5692753</b>	<b>\$1,903.80</b>
1/2"	20'	39,000	31,800	22,500	12QASAW10X20	<b>5685159</b>	<b>\$2,918.54</b>
1/2"	25'	39,000	31,800	22,500	12QASAW10X25	<b>5685164</b>	<b>\$3,310.46</b>

**LiftAll** ADJUST-A-LINK™ CHAIN SLINGS

Alloy Steel • Latch Included



- Adjust one or multiple links at one time to keep load level and under control.
- Versatile design reduces the need for other slings, saving time and money.
- 1/2" size master link is flame cut, not forged and uses Grade 80 capacity ratings.
- Can be repaired, proof-tested and re-certified by Lift-All®.

† Made To Order Non-Stock Item.

WIDTH	LENGTH	RATED CAPACITY (LBS.)			MFR #	A&M #	SALE PRICE
		@ 90°	@ 60°	@ 45°*			
7/32"	6'	12,000	20,800	17,000	30001LG10	4998616	\$217.51
9/32"	6'	12,000	20,800	17,000	30003LG10	4641993	\$263.63
1/2"	10'	8,800	15,200	12,400	30007L	4998622	\$622.80
3/8"	10'	8,800	15,200	12,400	30005LG10	4625067	\$494.64
7/32"	10'	2,700	4,700	3,800	30002LG10	4998618	\$257.79
9/32"	10'	2,700	4,700	3,800	30004LG10	4675826	\$305.83
1/2"	14'	4,300	7,400	6,100	30008L	4998623	\$712.58
3/8"	14'	4,300	7,400	6,100	30006LG10	4998620	\$553.14

\*DO NOT USE AT LESS THAN 45°

**LiftAll** MANUAL & LEVER CHAIN HOISTS

Steel • Latch Included



Manual Chain Hoist



Lever Chain Hoist



Mini Lever Chain Hoist

**Manual Chain Hoist**

- Perfect for low-headroom lift.
- Powder-coated housing and hooks to protect from corrosion.
- Fully enclosed gears and shafts run on caged roller bearings for smooth operation and long life.
- Weston style mechanical load brake is self-adjusting, and is enclosed to limit contamination.

**Lever Chain Hoists**

- Easy one hand operation and set up.
- Operates in any orientation.
- Non-slip rubber grip lever and 360° rotation require minimal space for operation with 20 to 30% less pull force than other brands.
- The automatic Weston style mechanical load brake will react to the inertia of a descending load.

**Mini Lever Chain Hoists**

- The most compact mini hoist on the market.
- Rubber hand grip for better comfort and security.
- Lightweight and durable all steel construction with chrome exterior finish to resist corrosion.

† Non-Stock Item.

LENGTH	CAPACITY	MFR #	A&M #	SALE PRICE
<b>MANUAL CHAIN HOISTS</b>				
10'	1/2 Ton	MCH005X10	5498520	\$126.78
10'	1 Ton	MCH010X10	5716008	\$142.39
10'	2 Ton	MCH020X10	5716014	\$228.75
10'	3 Ton	MCH030X10	5716016	\$329.80
10'	10 Ton	MCH100X10	5716022	\$1,211.72
20'	1/2 Ton	MCH005X20	5716006	\$183.73
20'	1 Ton	MCH010X20	5716009	\$199.34
20'	2 Ton	MCH020X20	5529921	\$296.41
20'	3 Ton	MCH030X20	5716017	\$436.37
20'	10 Ton	MCH100X20	5716023	\$1,487.31
<b>LEVER CHAIN HOISTS</b>				
10'	3/4 Ton	LCH008X10	4947881	\$197.51
10'	1-1/2 Ton	LCH015X10	5534627	\$245.28
10'	3 Ton	LCH030X10	5534626	\$364.71
20'	3/4 Ton	LCH008X20	5533240	\$228.75
20'	1-1/2 Ton	LCH015X20	5529922	\$285.70
20'	3 Ton	LCH030X20	5529923	\$427.17
<b>MINI LEVER CHAIN HOISTS</b>				
10'	550 Lbs.	MLH003X10	5716029	\$110.05
10'	1100 Lbs.	MLH005X10	4947880	\$165.73

**LiftAll**™ **LOAD HUGGER™**  
Polyester • For Cargo Control & Load Securement



#6A102 Flat Hook



#6A103 Coated Open Hook



#6A101 U-Hook



#6A105 Hook & Keeper



#60203 2-Pack

WIDTH	LENGTH	ULTIMATE BREAK STRENGTH (LBS.)*	END FITTING / EYE TYPE	MFR #	A&M #	SALE PRICE
1"	15'	1,000	Flat Hook	6A102	4598668	\$17.51
1"	15'	2,100	Coated Open Hook	6A103	4558862	\$19.62
1"	15'	2,100	U-Hook	6A101	4999080	\$18.81
1"	15'	2,100	Hook & Keeper	6A105	4999082	\$20.24
<b>RETRACTABLE RATCHET TIE DOWN 2-PACK</b>						
1"	12'	1,500	Coated Open Hook	60203	4743454	\$31.36

\*Ultimate break strength when new.

- Flexible, conforms to the load for better control.
- Ratchet designed for fast, easy adjustment.
- Soft webbing helps protect cargo from damage.
- Highest quality components and assembly meet all DOT and CVSA requirements.

**Retractable Ratchet Tie Down 2-Pack**

- Self-contained, no loose or tangled webbing.
- Automatically retracts webbing for fast storage.
- † Made To Order Non-Stock Item.

**LiftAll**™ **LOAD HUGGER™ TUFF-EDGE® HI-VIS TIE DOWN ASSEMBLY**  
Polyester • For Cargo Control & Load Securement

Ratchet design for fast and easy adjustment



Chain Anchor



Flat Hook



U-Hook



Endless

WIDTH	LENGTH	ULTIMATE BREAK STRENGTH*	END FITTING / EYE TYPE	MFR #	A&M #	SALE PRICE
2"	27'	10,000	Chain Anchor	TE61013	5002088	\$75.77
3"	27'	15,000	Flat Hook	TE20482	5002028	\$108.23
3"	27'	15,000	Chain Anchor	TE20488	5002034	\$139.34
3"	27'	15,000	U-Hook	TE20494	5002040	\$102.85
2"	27'	10,000	U-Hook	TE26422	4689771	\$42.65
2"	27'	10,000	Flat Hook	TE61001	4817474	\$43.19
2"	27'	10,000	Endless	TE61011	5002086	\$39.76

\*Ultimate break strength when new.


- TUFF-EDGE® Hi-Vis webbing used for abrasion resistance and longer life.
- HI-VIS color makes assemblies easier to find and harder to lose.
- Soft webbing helps protect cargo from damage.
- Ratchet design for fast, easy adjustment.
- † Made To Order Non-Stock Item.

**LiftAll** ROUGHNECK™ WIRE MESH SLINGS

Steel



Durable steel wire mesh with brazed end design



- Steel construction resists abrasion and cutting.
- Brazed end design allows slings to be repaired, saving money.
- Good flexibility and grips load firmly without stretching.
- Wide bearing surface distributes load.

† Made To Order Non-Stock Item.

WIDTH	LENGTH	SLING TYPE	RATED CAPACITY (LBS.)			MFR #	A&M #	SALE PRICE
			VERTICAL (90°)	CHOKER	BASKET (90°)			
3"	3'	Triangle / Choker	12,000	12,000	24,000	3T110X3	4998868	\$291.48
3"	4'	Triangle / Choker	12,000	12,000	24,000	3T110X4	4998869	\$329.75
3"	6'	Triangle / Choker	12,000	12,000	24,000	3T110X6	4998870	\$406.29
3"	8'	Triangle / Choker	12,000	12,000	24,000	3T110X8	4998871	\$482.83
4"	4'	Triangle / Choker	14,400	14,400	28,800	4T110X4	4739759	\$363.55
4"	6'	Triangle / Choker	14,400	14,400	28,800	4T110X6	4998890	\$445.85
4"	8'	Triangle / Choker	14,400	14,400	28,800	4T110X8	4998891	\$528.14
4"	10'	Triangle / Choker	14,400	14,400	28,800	4T110X10	4998883	\$610.43
6"	6'	Triangle / Choker	3,500	3,500	7,000	6T110X6	4999099	\$519.13
6"	8'	Triangle / Choker	3,500	3,500	7,000	6T110X8	4999100	\$614.24
6"	10'	Triangle / Choker	3,500	3,500	7,000	6T110X10	4999091	\$709.36
6"	12'	Triangle / Choker	3,500	3,500	7,000	6T110X12	4999092	\$804.47
8"	6'	Triangle / Choker	4,800	4,800	9,600	8T110X6	4999147	\$586.25
8"	8'	Triangle / Choker	4,800	4,800	9,600	8T110X8	4999148	\$690.01
8"	10'	Triangle / Choker	4,800	4,800	9,600	8T110X10	4999139	\$793.75
8"	12'	Triangle / Choker	4,800	4,800	9,600	8T110X12	4999140	\$897.52
10"	8'	Triangle / Choker	7,200	7,200	14,400	10T110X8	4998251	\$940.88
10"	10'	Triangle / Choker	7,200	7,200	14,400	10T110X10	4998242	\$1,006.17
10"	12'	Triangle / Choker	7,200	7,200	14,400	10T110X12	4998243	\$1,116.27
10"	16'	Triangle / Choker	7,200	7,200	14,400	10T110X16	4998245	\$1,336.41
12"	3'	Triangle / Choker	9,600	9,600	19,200	12T110X3	4998392	\$748.00
12"	4'	Triangle / Choker	9,600	9,600	19,200	12T110X4	4998393	\$811.05
12"	6'	Triangle / Choker	9,600	9,600	19,200	12T110X6	4998394	\$937.13
12"	8'	Triangle / Choker	9,600	9,600	19,200	12T110X8	4998395	\$1,012.58

**LiftAll** TUFLEX® VEHICLE RECOVERY STRAPS

Eye / Eye



- Made from strong, durable Tuflex® roundslings, plus body and attaching eyes are covered with additional abrasion resistant fabric for extra protection.
- The elastic effect of the polyester helps absorb shock and contraction aids in the vehicle recovery.
- Straps elongate to 3% and are designed to prevent dangerous recoil.

† Made To Order Non-Stock Item. Not suitable for lifting.

DESCRIPTION	TOWING CAPACITY (LBS.)	ULTIMATE BREAK STRENGTH (LBS.)*	MFR #	A&M #	SALE PRICE
YELLOW 20'	14,000	42,000	TSEN90X20	5002156	\$204.47
YELLOW 30'	14,000	42,000	TSEN90X30	5002157	\$288.78
TAN 20'	17,500	52,500	TSEN120X20	5002142	\$227.90
TAN 30'	17,500	52,500	TSEN120X30	5002143	\$324.44
RED 20'	22,000	66,000	TSEN150X20	5002144	\$296.81
RED 30'	22,000	66,000	TSEN150X30	5002145	\$423.01
WHITE 20'	28,000	84,000	TSEN180X20	5002146	\$353.71
WHITE 30'	28,000	84,000	TSEN180X30	5002147	\$507.61
BLUE 20'	35,300	105,900	TSEN240X20	5002148	\$408.58
BLUE 30'	35,300	105,900	TSEN240X30	5002149	\$582.23
GRAY 20'	51,600	154,800	TSEN360X20	5002150	\$717.13
GRAY 30'	51,600	154,800	TSEN360X30	5002151	\$1,047.73
BROWN 20'	88,300	264,900	TSEN600X20	5002152	\$968.72
BROWN 30'	88,300	264,900	TSEN600X30	5002153	\$1,408.29
OLIVE 20'	110,000	330,000	TSEN800X20	5002154	\$1,116.74
OLIVE 30'	110,000	330,000	TSEN800X30	5002155	\$1,620.50
BLACK 20'	150,000	450,000	TSEN1000X20	5002140	\$1,345.91
BLACK 30'	150,000	450,000	TSEN1000X30	5002141	\$1,960.10

\*Ultimate break strength when new.

YOUR SOURCE FOR TECHNICAL EXPERTISE:



A&M Industrial's online blog—available on the resources menu of our website—hosts helpful, expert-level advice that includes:

- Best practices and recommendations.
- 'How to', step by step application videos and instructions.
- Troubleshooting and problem solving techniques.
- Product introductions.
- FREE, downloadable reference charts, guides, and more.




**LiftAIL** LOAD HUGGER™ TUFF-EDGE® HI-VIS TIE DOWN WINCH STRAPS

Polyester



#TE61202 Flat Hook



#TE61214 Chain Anchor



#TE61226 U-Hook

WIDTH	LENGTH	WEIGHT LOAD LIMIT (LBS.)	END FITTING / EYE TYPE	MFR #	A&M #	SALE PRICE
4"	30'	5,000	Flat Hook	TE61202	5002090	\$42.25
4"	30'	5,000	Chain Anchor	TE61214	5002102	\$66.78
4"	30'	5,000	U-Hook	TE61226	5002110	\$52.10

- Made for use on 4" portable or weld-on winch.
  - HI-VIS color makes assemblies easier to find and harder to lose.
  - Flexible, conforms to the load for better control.
  - Use with winch for fast, easy load securement.
- † Made To Order Non-Stock Item.

**LiftAIL** MEDIUM PROFILE PORTABLE WINCH  
Steel



- Two set screws to keep winch on rail for security.
  - Slot to accept webbing up to 4" wide for greater flexibility.
  - Painted black to resist corrosion.
  - Meet all DOT and CVSA requirements.
- † Made To Order Non-Stock Item.

MFR #61221  
A&M #2892064  
**\$37<sup>01</sup>**

**LiftAIL** MEDIUM PROFILE WELD-ON WINCH  
Steel



- Weld-on design keeps winch from being lost or stolen.
  - Slot to accept webbing up to 4" wide for greater flexibility.
  - Painted black to resist corrosion.
  - Meet all DOT and CVSA requirements.
- † Made To Order Non-Stock Item.

MFR #61222  
A&M #4999076  
**\$32<sup>18</sup>**

**LiftAIL** WINCH BAR  
Steel

Tapered end for easier insertion into winch



- 36" long, chrome plated steel bar resists corrosion.
  - Knurled handle provides for better grip.
  - Tapered end for easier insertion into winch.
  - Meet all DOT and CVSA requirements.
- † Made To Order Non-Stock Item.


MFR #61223  
A&M #4629042  
**\$27<sup>24</sup>**

**LiftAIL** CORNER GUARD  
Plastic

- A move-able, rust-proof copolymer corner guard.
  - Protects 1 - 4 in wide web tie downs and slings from sharp edges and corners.
  - Lightweight for easy use and storage.
- † Made To Order Non-Stock Item.

MFR #CG  
A&M #4999184  
**\$3<sup>53</sup>**

Helps to protect cargo from damage



### Safety Seminars

Lift-All Company offers a "Safety in Lifting" seminar. A Lift-All representative will come to your location with the Lift-All video "Safety in Lifting" and discuss sling information that is appropriate to your employees.

In addition to the basic information covered in the video, the seminar also provides a chance for your employees to ask questions concerning the use of slings in their job. Are the best slings being used for the application? How can slings last longer?

The seminar offers the opportunity to expand sling knowledge and bring awareness to sling and lifting safety.

Contact your distributor of industrial supplies to arrange for your *Safety in Lifting* seminar.

#### Safety In Lifting Topics Covered:



Sling Categories

Planning A Safe Lift



Inspection Procedures For Slings

Repair Information



Care & Operating Practices

### Sling Inspections

OSHA regulations require that all chain slings receive a thorough inspection at least once per year by a competent person. A factory trained Lift-All representative can provide a thorough documented sling inspection on all your slings. Chain slings, wire rope slings, web slings, roundslings and wire mesh slings can be inspected in one survey by a representative from the only company that makes them all, Lift-All Company.

#### The Inspection Procedure

- Each sling is individually recorded and reported by location, serial number (if available), size, type, reach and condition.
- If desired, we will affix warning tags to those slings found to be damaged.
- A Sling Survey Report will be submitted to you for your records, showing the above information along with any recommendations we may have for improving sling life and lifting safety.
- If you wish to repair or replace any of the damaged slings, we will provide cost estimates to do so.

Sling Inspections not only help to ensure safe lifting equipment but also increase employee awareness of sling safety, creating a safer workplace for all.

Contact your A&M Industrial Representative or the A&M Industrial Safety Team to schedule a Lift-All<sup>®</sup> Safety Seminar, Inspection or Service today!

Valid thru 12/31/26 in US only. Specifications and pricing are subject to change without notice, please see our website or contact your rep for current pricing. Not responsible for typographical errors. Offers cannot be combined with any other promotional or discount offers. Please see our website for a full listing of our Terms & Conditions.

